Exercise 4D

1. Question

In $\Box \triangle ABC$, if = $\angle B$ = 76° and $\angle C$ = 48°, find $\angle A$.

Answer

∠*A* =56°

In ∆ABC,

 $\angle A + \angle B + \angle C = 180^{\circ}$ [Sum of angles]

 $\Rightarrow \angle \mathsf{A} + 76^{\circ} + 48^{\circ} = 180^{\circ}$

 $\Rightarrow \angle A + 124^{\circ} = 180^{\circ}$

 $\Rightarrow \angle A = 56^{\circ}$

2. Question

The angles of a triangle are in the ratio 2:3:4. Find the angles.

Answer

40°, 60°, 80°

Let the angles of triangle are 2a, 3a and 4a.

Therefore,

 $2a + 3a + 4a = 180^{\circ}$ [Sum of angles]

⇒ 9a = 180°

 $\Rightarrow a = 20^{\circ}$

Angles of triangle are,

 $2a = 2 \times 20^{\circ} = 40^{\circ}$

 $3a = 3 \times 20^{\circ} = 60^{\circ}$

 $4a = 4 \times 20^{\circ} = 80^{\circ}$

3. Question

In $\triangle ABC$, if $3 \angle A = 4 \angle B = 6 \angle C$, calculate $\angle A$, $\angle B$ and $\angle C$.

Answer

 $\angle A = 80^{\circ}, \ \angle B = 60^{\circ}, \ \angle C = 40^{\circ}$

Let $3 \angle A = 4 \angle B = 6 \angle C = a$

Therefore,

 $\angle A = a/3, \angle B = a/4, \angle C = a/6$ (i)

 $\angle A + \angle B + \angle C = 180^{\circ}$ [Sum of angles]

 $\Rightarrow a/3 + a/4 + a/6 = 180^{\circ}$

 \Rightarrow 9a/12 = 180°

⇒ a = 240°

 $\Rightarrow \angle A = a/3 = 240^{\circ}/3 = 80^{\circ}$

 $\Rightarrow \angle B = a/4 = 240^{\circ}/4 = 60^{\circ}$

 $\Rightarrow \angle C = a/6 = 240^{\circ}/6 = 40^{\circ}$

4. Question

In $\triangle ABC$, if $\angle A + \angle B = 108^{\circ} \text{and} \angle B + \angle C = 130^{\circ}$, Find $\angle A , \angle B \text{ and} \angle C$.

Answer

 $\angle A = 50^{\circ}, \ \angle B = 58^{\circ}, \ \angle C = 72^{\circ}$

Given,

∠A + ∠B = 108° _____ (i)

 $\angle B + \angle C = 130^{\circ}$ (ii)

We know that sum of angles of triangle = 180°

 $\angle A + \angle B + \angle C = 180^{\circ}$ [Sum of angles]

 $\angle A + 130^\circ = 180^\circ$ [From equation (ii)]

 $\Rightarrow \angle A = 50^{\circ}$

Value of $\angle A = 50^{\circ}$ put in equation (i),

 $\angle A + \angle B = 108^{\circ}$

 $\Rightarrow 50^{\circ} + \angle B = 108^{\circ}$

 $\Rightarrow \angle B = 58^{\circ}$

Value of $\angle B = 58^{\circ}$ put in equation (ii),

 $\angle B + \angle C = 130^{\circ}$

 $\Rightarrow 58^{\circ} + \angle C = 130^{\circ}$

⇒ ∠C = 72°

5. Question

In $\triangle ABC$, if $\angle A + \angle B = 125^{\circ} \text{and} \angle B + \angle C = 113^{\circ}$, Find $\angle A$, $\angle B$ and $\angle C$.

Answer

 $\angle A = 67^{\circ}, \ \angle B = 41^{\circ}, \ \angle C = 89^{\circ}$

Given,

 $\angle A + \angle B = 125^{\circ}$ (i)

∠B+ ∠C = 113° _____ (ii)

We know that sum of angles of triangle = 180°

 $\angle A + \angle B + \angle C = 180^{\circ}$ [Sum of angles]

 $\angle A + 113^{\circ} = 180^{\circ}$ [From equation (ii)]

 $\Rightarrow \angle A = 67^{\circ}$

Value of $\angle A = 50^{\circ}$ put in equation (i),

 $\angle A + \angle B = 125^{\circ}$

 $\Rightarrow 67^{\circ} + \angle B = 108^{\circ}$

Value of $\angle B = 41^{\circ}$ put in equation (ii),

 $\angle B + \angle C = 130^{\circ}$

 $\Rightarrow 41^{\circ} + \angle C = 130^{\circ}$

 $\Rightarrow \angle C = 89^{\circ}$

6. Question

In $\triangle POR$, if $\angle P - \angle Q = 42^{\circ}$ and $\angle Q - \angle R = 21^{\circ}$, Find $\angle P , \angle Q$ and $\angle R$.

Answer

```
\angle P = 95^{\circ}, \angle Q = 53^{\circ}, \angle R = 32^{\circ}
```

Given,

 $\angle P - \angle Q = 42^{\circ}$ (i)

 $\angle Q - \angle R = 21^{\circ}$ (ii) $\angle P = 42^\circ + \angle Q$ [From equation (i)] _____ (iii) $\angle R = \angle Q$ - 21° [From equation (ii)] _____ (iv) We know that sum of angles of triangle = 180° $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles] \Rightarrow 42° + $\angle Q$ + $\angle Q$ + $\angle Q$ - 21° = 180° [From equation (iii) and (iv)] $\Rightarrow 3 \angle Q + 21^\circ = 180^\circ$ \Rightarrow 3 \angle Q = 159° $\Rightarrow \angle Q = 53^{\circ}$ Value of $\angle Q = 53^{\circ}$ put in equation (iii), $/P = 42^{\circ} + 20$ \Rightarrow /P = 42° + 53° $\Rightarrow /P = 95^{\circ}$ Value of $\angle Q = 53^{\circ}$ put in equation (iv), $\angle R = \angle Q - 21^{\circ}$ $\Rightarrow \angle R = 53^{\circ} - 21^{\circ}$

⇒ ∠R = 32°

7. Question

The sum of two angles of a triangle is 116° and their difference is 24°. Find the measure of each angle of the triangle.

Answer

70°, 46°, 64°

Let $\angle P$, $\angle Q$ and $\angle R$ are three angles of triangle PQR.

Now,

 $\angle P + \angle Q = 116^{\circ}$ (i)

 $\angle P - \angle Q = 24^{\circ}$ (i)

Adding equation (i) and (ii),

 $2 \angle P = 140^{\circ}$

⇒ ∠P = 70° _____ (iii)

Subtracting equation (i) and (ii),

2 ∠Q = 92°

 $\Rightarrow \angle Q = 46^{\circ}$ (iv)

We know that sum of angles of triangle = 180°

 $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles]

 \Rightarrow 70° + 46° + $\angle R$ = 180° [From equation (iii) and (iv)]

 $\Rightarrow \angle R = 64^{\circ}$

8. Question

Of the three angles of a triangle are equal and the third angle is greater than each one of them by 18°. Find the angle.

Answer

54°, 54°, 72°

Let $\angle P$, $\angle Q$ and $\angle R$ are three angles of triangle PQR,

And $\angle P = \angle Q = a$ _____(i)

Then, $\angle R = a + 18^{\circ}$ (ii)

We know that sum of angles of triangle = 180°

 $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles]

 \Rightarrow a + a + a + 18°= 180° [From equation (i) and (ii)]

 \Rightarrow 3a= 162°

⇒ a= 54°

Therefore,

 $\angle P = \angle Q = 54^{\circ}$ [from equation (i)]

```
\angle R = 54^{\circ} + 18^{\circ} [from equation (i)]
```

= 72°

9. Question

Of the three angles of a triangle, one is twice the smallest and mother one is thrice the smallest. Find the angle.

Answer

60°, 90°, 30°

Let $\angle P$, $\angle Q$ and $\angle R$ are three angles of triangle PQR,

And $\angle P$ is the smallest angle.

Now,

 $\angle Q = 2 \angle P$ _____(i)

∠R = 3 ∠P _____ (ii)

We know that sum of angles of triangle = 180°

 $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles]

 $\Rightarrow \angle P + 2 \angle P + 3 \angle P = 180^{\circ}$ [From equation (i) and (ii)]

⇒ 6 ∠P = 180°

 $\Rightarrow \angle P = 30^{\circ}$

Therefore,

 $\Rightarrow \angle Q = 2 \angle P = 60^{\circ}$ [from equation (i)]

 $\Rightarrow \angle R = 3 \angle P = 90^{\circ}$ [from equation (ii)]

10. Question

In a right-angled triangle, one of the acute measures 53°. Find the measure of each angle of the triangle.

Answer

53°, 37°, 90° Let PQR be a right angle triangle. Right angle at P, then $\angle P = 90^{\circ}$ and $\angle Q = 53^{\circ}$ (i) We know that sum of angles of triangle = 180° $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles] $\Rightarrow 90^{\circ} + 53^{\circ} + \angle R = 180^{\circ}$ [From equation (i)]

⇒ ∠R = 37°

11. Question

If one angle of a triangle is equal to the sum of the other two, show that the triangle is right angled.

Answer

Proof

Let PQR be a right angle triangle,

Now,

 $\angle P = \angle Q + \angle R$ _____(i)

We know that sum of angles of triangle = 180°

 $\angle P + \angle Q + \angle R = 180^{\circ}$ [Sum of angles]

```
\Rightarrow \angle P + \angle P = 180^{\circ} [From equation (i)]
```


```
⇒ 2 ∠P = 180°
```

 $\Rightarrow \angle P = 90^{\circ}$

Hence, PQR is a right angle triangle Proved.

12. Question

A $\triangle ABC$ is right angled at A. If AL \perp BC, prove that $\angle BAL = \angle ACB$.



proof

We know that the sum of two acute angles of a right triangle is 90°.

Therefore,

 $\angle BAL + \angle ABL = 90^{\circ}$ $\Rightarrow \angle BAL = 90^{\circ} - \angle ABL$ $\Rightarrow \angle BAL = 90^{\circ} - \angle ABC$ (i) $\angle ABC + \angle ACB = 90^{\circ}$ $\Rightarrow \angle ACB = 90^{\circ} - \angle ABC$ (ii)
From equation (i) and (ii), $\angle BAL = \angle ACB \text{ Proved.}$

13. Question

If each angle of a triangle is less than the sum of the other two, show that the triangle is acute angled.

Answer

Proof

Let ABC be a triangle,

Now,

$\angle A < \angle B + \angle C$	(i)
∠B < ∠A+∠C	(ii)
$\angle C < \angle A + \angle B$	(iii)

 $\Rightarrow 2 \angle A < \angle A + \angle B + \angle C$ [From equation (i)]

 $\Rightarrow 2 \angle A < 180^{\circ}$ [Sum of angles of triangle]

⇒∠A < 90° _____ (a)

Similarly,

 $\Rightarrow \angle B < 90^{\circ}$ (b)

⇒ ∠*C* < 90°_____(c)

From equation (a), (b) and (c), each angle is less than 90°

Therefore triangle is an acute angled Proved.

If each angle of a triangle is greater than the sum of the other two, show that the triangle is obtuse angled.

Answer

Proof

Let ABC be a triangle,

Now,


 $\angle A > \angle B + \angle C$ (i) $\angle B > \angle A + \angle C$ (ii) $\angle C > \angle A + \angle B$ (iii) $\Rightarrow 2 \angle A > \angle A + \angle B + \angle C$ [From equation (i)] $\Rightarrow 2 \angle A > 180^{\circ}$ [Sum of angles of triangle] $\Rightarrow \angle A > 90^{\circ}$ (a) Similarly, $\Rightarrow \angle B > 90^{\circ}$ (b) ⇒∠*C* > 90°_____(c)

From equation (a), (b) and (c), each angle is less than 90°

Therefore triangle is an acute angled Proved.

15. Question

In the given figure, side BC of \triangle ABC is produced to D. If $\angle ACD = 128^{\circ}$ and $\angle ABC = 43^{\circ}$, Find $\angle BAC$ and $\angle ACB$.



Answer

 $\angle BAC = 85^{\circ}, \angle ACB = 52^{\circ}$

Given, $\angle 4CD = 128^{\circ}$ and $\angle ABC = 43^{\circ}$

In triangle ABC,

 $\angle ACB + \angle ACD = 180^{\circ}$ [Because BCD is a straight line]


 $\Rightarrow \angle ACB + 128^{\circ} = 180^{\circ}$

 $\Rightarrow \angle ACB = 52^{\circ}$

 $\angle ABC + \angle ACB + \angle BAC = 180^{\circ}$ [Sum of angles of triangle ABC]

 \Rightarrow 43° + 52° + \angle BAC = 180°

In the given figure, the side BC of $\triangle ABC$ has been produced on both sides-on the left to D and on the right to E. If $\angle ABD = 106^{\circ}$ and $\angle ACE = 118^{\circ}$. Find the measure of each angle of the triangle.





Answer

74°, 62°, 44° Given, $\angle ABD = 106°$ and $\angle ACE = 118°$ $\angle ABD + \angle ABC = 180°$ [Because DC is a straight line] $\Rightarrow 106° + \angle ABC = 180°$ $\Rightarrow \angle ABC = 74°$ (i) $\angle ACB + \angle ACE = 180°$ [Because BE is a straight line] $\Rightarrow \angle ACB + 118° = 180°$ $\Rightarrow \angle ACB = 62°$ (ii) Now, triangle ABC $\angle ABC + \angle ACB + \angle BAC = 180°$ [Sum of angles of triangle] $\Rightarrow 74° + 62° + \angle BAC = 180°$ [From equation (i) and (ii)] $\Rightarrow \angle BAC = 44°$

17. Question

Calculate the value of x in each of the following figure.





(i) 50°

Given, $\angle BAE = 110^{\circ}$ and $\angle ACD = 120^{\circ}$

 $\angle ACB + \angle ACD = 180^{\circ}$ [Because BD is a straight line]

 $\Rightarrow \angle ACB + 120^{\circ} = 180^{\circ}$

 $\Rightarrow \angle ACB = 60^{\circ}$ (i)

In triangle ABC,

 $\angle BAE = \angle ABC + \angle ACB$

```
\Rightarrow 110^{\circ} = x + 60^{\circ}
\Rightarrow x = 50^{\circ}
(ii) 120°
In triangle ABC,
\angle A + \angle B + \angle C = 180^{\circ} [Sum of angles of triangle ABC]
\Rightarrow 30^{\circ} + 40^{\circ} + \angle C = 180^{\circ}
\Rightarrow \angle C = 110^{\circ}
\angleBCA + \angleDCA = 180° [Because BD is a straight line]
\Rightarrow 110^{\circ} + \angle DCA = 180^{\circ}
\Rightarrow \angle DCA = 70^{\circ} (i)
In triangle ECD,
\angle AED = \angle ECD + \angle EDC
\Rightarrow x = 70^{\circ} + 50^{\circ}
\Rightarrow x = 120^{\circ}
(iii) 55°
Explanation:
\angle BAC = \angle EAF = 60^{\circ}[Opposite angles]
In triangle ABC,
\angle ABC + \angle BAC = \angle ACD
\Rightarrow X°+ 60°= 115°
\Rightarrow X^{\circ} = 55^{\circ}
(iv) 75°
Given AB||CD
Therefore,
\angle BAD = \angle EDC = 60^{\circ}[Alternate angles]
In triangle CED,
\angle C + \angle D + \angle E = 180^{\circ}[Sum of angles of triangle]
\Rightarrow 45^{\circ} + 60^{\circ} + x = 180^{\circ} [\angle EDC = 60^{\circ}]
\Rightarrow x = 75^{\circ}
(v) 30°
Explanation:
In triangle ABC,
```

 $\angle BAC + \angle BCA + \angle ABC = 180^{\circ}$ [Sum of angles of triangle]

 $\Rightarrow 40^{\circ} + 90^{\circ} + \angle ABC = 180^{\circ}$

 $\Rightarrow \angle ABC = 50^{\circ}$ (i)

In triangle BDE,

 $\angle BDE + \angle BED + \angle EBD = 180^{\circ}[Sum of angles of triangle]$

 $\Rightarrow x^{\circ} + 100^{\circ} + 50^{\circ} = 180^{\circ} [\angle EBD = \angle ABC = 50^{\circ}]$

 $\Rightarrow x^{\circ} = 30^{\circ}$

(vi) x=30

Explanation:

In triangle ABE,

 $\angle BAE + \angle BEA + \angle ABE = 180^{\circ}$ [Sum of angles of triangle]

 \Rightarrow 75° + ∠BEA + 65° = 180°

 $\Rightarrow \angle \mathsf{BEA} = 40^{\circ}$

 \angle BEA = \angle CED = 40°[Opposite angles]

In triangle CDE,


 \angle CDE + \angle CED + \angle ECD = 180°[Sum of angles of triangle]

 $\Rightarrow x^{\circ} + 40^{\circ} + 110^{\circ} = 180^{\circ}$

 $\Rightarrow x^{\circ} = 30^{\circ}$

18. Question


Calculate the value of x in the given figure.



Answer

x = 130

Explanation:



In triangle ACD,

 $\angle 3 = \angle 1 + \angle C$ _____ (i)

In triangle ABD,

 $\angle 4 = \angle 2 + \angle B$ _____ (ii)

Adding equation (i) and (ii),

 $\angle 3 + \angle 4 = \angle 1 + \angle C + \angle 2 + \angle B$


 $\Rightarrow \angle BDC = (\angle 1 + \angle 2) + \angle C + \angle B$

 $\Rightarrow x^{\circ} = 55^{\circ} + 30^{\circ} + 45^{\circ}$

 $\Rightarrow x^{\circ} = 130^{\circ}$

19. Question

In the given figure, AD divides $\angle BAC$ in the ratio 1:3 and AD=DB. Determine the value of.



Answer

X=90

Explanation:

 $\angle BAC + \angle CAE = 180^{\circ}[Because BE is a straight line]$

 $\Rightarrow \angle BAC + 108^{\circ} = 180^{\circ}$

⇒ ∠BAC = 72°

Now, AD = DB

 $\Rightarrow \angle DBA = \angle BAD$

 $\angle BAD = (\textcircled{0})72^{\circ} = 18^{\circ}$

∠DAC = (�)72°= 54°

In triangle ABC,


 $\angle A + \angle B + \angle C = 180^{\circ}$ [Sum of angles of triangle]

 \Rightarrow 72° + 18° + x = 180°

 $\Rightarrow x = 90^{\circ}$

20. Question

If the side of a triangle are produced in order, Prove that the sum of the exterior angles so formed is equal to four right angles.



Proof

In triangle ABC,

- $\angle ACD = \angle B + \angle A$ _____(i)
- $\angle BAE = \angle B + \angle C$ (ii)
- $\angle CBF = \angle C + \angle A$ (iii)

Adding equation (i), (ii) and (iii),


 $\angle ACD + \angle BAE + \angle CEF = 2(\angle A + \angle B + \angle C)$

 $\Rightarrow \angle ACD + \angle BAE + \angle CEF = 2(180^{\circ})$ [Sum of angles of triangle]

 $\Rightarrow \angle 4CD + \angle BAE + \angle CEF = 360^{\circ}$ Proved.

21. Question

In the adjoining figure, show that $\angle A + \angle B + \angle C + \angle D + \angle E + \angle F = 360^{\circ}$



Answer

Proof

In triangle BDF,

$\angle A + \angle C + \angle E =$	= 180°[Sum o	f angles of triangle]	(i)
------------------------------------	--------------	-----------------------	-----

In triangle BDF,

 $\angle B + \angle D + \angle F = 180^{\circ}$ [Sum of angles of triangle] _____ (ii)


From equation (i) and (ii),

 $(\angle A + \angle C + \angle E) + (\angle B + \angle D + \angle F) = (180^{\circ} + 180^{\circ})$

 $\Rightarrow \angle A + \angle B + \angle C + \angle D + \angle E + \angle F = 360^{\circ} \text{Proved.}$

22. Question

In \triangle ABC the angle bisectors of $\angle B$ and $\angle C$ meet at O. If $\angle A = 70^{\circ}$, Find $\angle BOC$.



Answer

125°

Given, bisector of $\angle B$ and $\angle C$ meet at O.


If OB and OC are the bisector of $\angle B$ and $\angle C$ meet at point O .

Then,

$$\angle BOC = 90^{\circ} + \frac{1}{2} \angle A$$
$$\Rightarrow \angle BOC = 90^{\circ} + \frac{1}{2} 70^{\circ}$$
$$\Rightarrow \angle BOC = 125^{\circ}$$

23. Question

The sides AB and AC of \triangle ABC have been produced to D and E respectively. The bisectors of $\angle CBD$ and $\angle BCE$ meet at O. If $\angle A = 40^{\circ}$ find $\angle BOC$.



Answer

70°

Given, bisector of $\angle CBD$ and $\angle BCE$ meet at O.


If OB and OC are the bisector of $\angle CBD$ and $\angle BCE$ meet at point O.

Then,

$$\angle BOC = 90^{\circ} - \frac{1}{2} \angle A$$
$$\Rightarrow \angle BOC = 90^{\circ} - \frac{1}{2} 40^{\circ}$$
$$\Rightarrow \angle BOC = 70^{\circ}$$

24. Question

In the given figure, ABC is a triangle in which $\angle A : \angle B : \angle C = 3:2:1$ and AC $(_ CD. Find the measure of \angle ECD)$.



60°

```
Given, \angle A : \angle B : \angle C = 3:2:1 and AC \perpCD

Let, \angle A = 3a

\angle B = 2a

\angle C = a

In triangle ABC,

\angle A + \angle B + \angle C = 180^{\circ}[Sum of angles of triangle]

\Rightarrow 3a + 2a + a = 180^{\circ}

\Rightarrow 6a = 180^{\circ}

\Rightarrow a = 30^{\circ}

Therefore, \angle C = a = 30^{\circ}

Now,


\angle ACB + \angle ACD + \angle ECD = 180^{\circ}[Sum of angles of triangle]

\Rightarrow 30^{\circ} + 90^{\circ} + \angle ECD = 180^{\circ}
```

 $\Rightarrow \angle ECD = 60^{\circ}$

25. Question

In the given figure, AM \perp BC and AN is the bisector of $\angle A$. Find the measure of $\angle MAN$.



Answer

17.5°

Given, AM $_$ BC and "AN" is the bisector of $\angle A$.

Therefore,

$$\angle MAN = \frac{1}{2} (\angle B - \angle C)$$

$$\Rightarrow \angle MAN = \frac{1}{2} (65^{\circ} - 30^{\circ})$$

 $\Rightarrow \angle MAN = 17.5^{\circ}$

26. Question

State 'True' or 'false':

- (i) A triangle can have two right angles.
- (ii) A triangle cannot have two obtuse angles.
- (iii) A triangle cannot have two acute angles.
- (iv) A triangle can have each angle less than 60°.
- (v) A triangle can have each angle equal to 60°.
- (vi) There cannot be a triangle whose angles measure 10°, 80° and 100°.

Answer


(i) False

Because, sum of angles of triangle equal to 180°. In a triangle maximum one right angle.




(ii) True

Because, obtuse angle measures in 90° to 180° and we know that the sum of angles of triangle is equal to 180° .



(iii) False

Because, in an obtuse triangle is one with one obtuse angle and two acute angles.



If each angles of triangle is less than 180° then sum of angles of triangle are not equal to 180°.

Any triangle,

 $\angle 1 + \angle 2 + \angle 3 = 180^{\circ}$

(v) True

If value of angles of triangle is same then the each value is equal to 60°.

 $\angle 1 + \angle 2 + \angle 3 = 180^{\circ}$ $\Rightarrow \angle 1 + \angle 1 + \angle 1 = 180^{\circ} [\angle 1 = \angle 2 = \angle 3]$ $\Rightarrow 3 \angle 1 = 180^{\circ}$ $\Rightarrow \angle 1 = 60^{\circ}$ (vi) True We know that sum of angles of triangle is equal to 180^{\circ}. Sum of angles, $= 10^{\circ} + 80^{\circ} + 100^{\circ}$

= 190°

Therefore, angles measure in (10°, 80°, 100°) cannot be a triangle.

CCE Questions

1. Question

If two angles are complements of each other, then each angle is

- A. an acute angle
- B. an obtuse angle
- C. a right angle
- D. a reflex angle

Answer

If two angles are complements of each other, then each angle is an acute angle

2. Question

An angle which measures more than 180° but less than 360°, is called

- A. an acute angle
- B. an obtuse angle
- C. a straight angle
- D. a reflex angle

Answer

An angle which measures more than 180° but less than 360°, is called a reflex angle.

The complement of 72°40' is

- A. 107°20'
- B. 27°20′
- C. 17°20′
- D. 12°40′

Answer

As we know that sum of two complementary – angles is 90° .

So, $x + y = 90^{\circ}$

 $72^{\circ}40' + y = 90$

 $y = 90^{\circ} - 72^{\circ}40'$

 $y = 17^{\circ}20'$

4. Question

The supplement of 54°30' is

A. 35°30′

- B. 125°30′
- C. 45°30′
- D. 65°30′

Answer

As we know that sum of two supplementary – angles is 180° .

So, $x + y = 180^{\circ}$

54°30′ + y= 180

 $y = 180^{\circ} - 54^{\circ}30'$

 $y = 125^{\circ}30'$

5. Question

The measure of an angle is five times its complement. The angle measures

A. 25°

- B. 35°
- C. 65°
- D. 75°

Answer

As we know that sum of two complementary – angles is 90° .

So, $x + y = 90^{\circ}$

According to question y = 5x

x + 5x = 90

 $6x = 90^{\circ}$

x = 15°

y = 75°

6. Question

Two complementary angles are such that twice the measure of the one is equal to three times the measure of the other. The larger of the two measures

A. 72°

B. 54°

C. 63°

D. 36°

Answer

As we know that sum of two complementary – angles is 90° .

So, $x + y = 90^{\circ}$

Let x be the common multiple.

According to question angles would be 2x and 3x.

2x + 3x = 90

 $5x = 90^{\circ}$

 $x = 18^{\circ}$

 $2x = 36^{\circ}$

```
3x = 54^{\circ}
```

So, larger angle is 54°

7. Question

Two straight lines AB and CD cut each other at O. If $\angle BOD = 63^{\circ}$, then $\angle BOD = ?$


A. 63°

B. 117°

C. 17°

D. 153°

Answer




$$\angle BOD = 63^{\circ}$$

As we know that sum of adjacent angle on a straight line is 180° .

 $\angle BOD + \angle BOC = 180^{\circ}$ $\angle BOC = 180^{\circ} - 63^{\circ}$ $\angle BOC = 117^{\circ}$

8. Question

In the given figure, AOB is a straight line. If $\angle AOC + \angle BOD = 95^{\circ}$, then $\angle COD = ?$



- B. 85°
- C. 90°
- D. 55°

Answer


As we know that sum of adjacent angle on a straight line is 180° .

$$\angle AOC + \angle BOD + \angle COD = 180^{\circ}$$

 $\angle COD = 180^{\circ} - 95^{\circ}$
 $\angle COD = 85^{\circ}$

9. Question

In the given figure, AOB is a straight line. If $\angle AOC = 4x^{\circ}$ and $\angle BOC = 5x^{\circ}$, then $\angle AOC = ?$





- B. 60°
- C. 80°
- D. 100°

As we know that sum of adjacent angle on a straight line is 180°.

According to question,

 $\angle AOC = 4x^{\circ}$

 $\angle BOC = 5x^{\circ}$,

 $4x + 5x = 180^{\circ}$


 $9x = 180^{\circ}$

```
X =20°
```

 $\angle AOC = 4x^{\circ} = 80^{\circ}$

10. Question

In the given figure, AOB is a straight line. If $\angle AOC (3x + 10)^\circ$ and $\angle BOC = (4x - 26)^\circ$, then $\angle BOC = ?$



Answer

As we know that sum of adjacent angle on a straight line is 180°.

According to question,

 $\angle AOC = (3x + 10)^{\circ}$ $\angle BOC = (4x - 26)^{\circ}$

 $3x + 10 + 4x - 26 = 180^{\circ}$


 $7x - 16 = 180^{\circ}$

 $7x = 196^{\circ}$

 $X = 28^{\circ}$ $\angle BOC = (4x - 26)^{\circ}$ $\angle BOC = 112^{\circ} - 26^{\circ}$ $\angle BOC = 86^{\circ}$

11. Question

In the given figure, AOB is a straight line. If $\angle AOC = 40^{\circ}$, $\angle COD = 4x^{\circ}$, and $\angle BOD = 3x^{\circ}$, then $\angle COD = ?$



- A. 80°
- B. 100°
- C. 120°
- D. 140°

Answer

As we know that sum of all angles on a straight line is 180°


 $\angle AOC + \angle COD + \angle BOD = 180^{\circ}$ $\angle AOC + \angle COD + \angle BOD = 180^{\circ}$ $40^{\circ} + 4x + 3x = 180^{\circ}$ $7x = 140^{\circ}$ $\Box x = 20^{\circ}$

So,

 $\angle COD = 4x = 80^{\circ}$

12. Question

In the given figure, AOB is a straight line. If $\angle AOC = (3x - 10)^\circ$, $\angle COD = 50^\circ$ and $\angle BOD = (x + 20)^\circ$, then $\angle AOC = ?$



- C. 80
- D. 50°

As we know that sum of all angles on a straight line is 180° .

$$\angle AOC + \angle COD + \angle BOD = 180^{\circ}$$

(3x - 10) + 50° + (x + 20) = 180°
4x + 10 = 130°
4x = 120°
x = 30°

So,

 $\angle AOC = 3x - 10 = 90^{\circ} - 10^{\circ} = 80^{\circ}$

13. Question

Which of the following statements is false?

- A. Through a given point, only one straight line can be drawn.
- B. Through two given points, it is possible to draw one and only one straight line.
- C. Two straight lines can intersect only at one point.
- D. A line segment can be produced to any desired length.

Answer

Through a given point, we can draw infinite number of lines.

14. Question

An angle is one – fifth of its supplement. The measure of the angle is

A. 15°

- B. 30°
- C. 75°

D. 150°

Answer

Let x be the common multiple.

According to question,

y = 5x

As we know that sum of two supplementary – angles is 180° .

So, $x + y = 180^{\circ}$


x + 5x = 180

 $6x = 180^{\circ}$

 $x = 30^{\circ}$

15. Question

In the adjoining figure, AOB is a straight line. If x : y : z = 4 : 5 : 6, then y = ?



B. 80°

C. 48°

D. 72°

Answer

Let n be the common multiple

x : y : z = 4 : 5 : 6, :

As we know that sum of all angles on a straight line is 180°.

 $4n + 5n + 6n = 180^{\circ}$


 $15n = 180^{\circ}$

 $N = 12^{\circ}$

 $Y = 5n = 60^{\circ}$

16. Question

In the given figure, straight lines AB and CD intersect at O. If $\angle AOC = \phi$, $\angle BOC = \theta$ and $\theta = 3\theta$, then $\theta = ?$



D. 60°

Answer

As we know that sum of all angles on a straight line is 180° .


According to question,

 $\theta = 3\phi$,

$$\varphi + \Theta = 180^{\circ}$$
$$\varphi + 3\varphi = 180^{\circ}$$
$$4\varphi = 180^{\circ}$$
$$\varphi = 45^{\circ}$$

17. Question

In the given figure, straight lines AB and CD intersect at O. If $\angle AOC + \angle BOD = 130^{\circ}$, then $\angle AOD = ?$



- A. 65°
- B. 115°
- C. 110°
- D. 125°

Answer

AC and BD intersect at O.


 $\angle AOC + \angle BOD = 130^{\circ}$ $\angle BOD + \angle BOD = 130^{\circ}$ $2\angle BOD = 130^{\circ}$ $\angle BOD = 65^{\circ}$

As we know that sum of all angles on a straight line is 180°.

 $\angle AOD + \angle BOD = 180^{\circ}$ $\angle AOD + 65^{\circ} = 180^{\circ}$ $\angle AOD = 180^{\circ} - 65^{\circ}$ $\angle AOD = 115^{\circ}$

18. Question

In the given figure AB is a mirror, PQ is the incident ray and QR is the reflected ray. If \angle PQR = 108°, then \angle AQP = ?



Answer

Incident ray makes the same angle as reflected ray.

So,

$$\angle AQP + \angle PQR + \angle BQR = 180^{\circ}$$

$$\angle AQP + \angle PQR + \angle AQP = 180^{\circ} (\angle AQP = \angle BQR)$$


$$2\angle AQP + 108^{\circ} = 180^{\circ}$$

$$2\angle AQP = 180^{\circ} - 108^{\circ}$$

$$2\angle AQP = 72^{\circ}$$

$$\angle AQP = 36^{\circ}$$

In the given figure AB || CD. If $\angle OAB = 124^{\circ}$, $\angle OCD = 136^{\circ}$, then $\angle AOC = ?$



B. 90°

C. 100°

D. 110°

Answer

Draw a line EF such that EF || AB and EF || CD crossing point O.

 \angle FOC + \angle OCD = 180° (Sum of consecutive interior angles is 180°)

$$\angle$$
 FOC = 180 - 136 = 44°

EF || AB such that AO is traversal.

 \angle OAB + \angle FOA = 180°(Sum of consecutive interior angles is 180°)

$$\angle$$
 FOA = 180 - 124 = 56°


$$\angle AOC = \angle FOC + \angle FOA$$

= 56 + 44

 $=100^{\circ}$

20. Question

In the given figure AB || CD and O is a point joined with B and D, as shown in the figure such that $\angle ABO = 35$ and $\angle CDO = 40^{\circ}$. Reflex $\angle BOD = ?$



- A. 255°
- B. 265°
- C. 275°
- D. 285°

Draw a line EF such that EF || AB and EF || CD crossing point O.

 \angle ABO + \angle EOB = 180°(Sum of consecutive interior angles is 180°)

 $\angle EOB = 180 - 35 = 145^{\circ}$


EF || AB such that AO is traversal.

 \angle CDO + \angle EOD = 180°(Sum of consecutive interior angles is 180°)

- $\angle EOD = 180 40 = 140^{\circ}$
- $\angle BOD = \angle EOB + \angle EOD$
- = 145 + 140
- = 285°

21. Question

In the given figure, AB || CD. If $\angle ABO = 130^{\circ}$ and $\angle OCD = 110^{\circ}$, then $\angle BOC = ?$



- A. 50°
- B. 60°
- C. 70°
- D. 80°

Answer

According to question,

AB || CD

AF || CD (AB is produced to F, CF is traversal)

 $\angle DCF = \angle BFC = 110^{\circ}$

Now, \angle BFC + \angle BFO = 180°(Sum of angles of Linear pair is 180°)

 \angle BFO = 180° - 110° = 70°

Now in triangle BOF, we have

 $\angle ABO = \angle BFO + \angle BOF$


130 = 70 + ∠BOF

 $\angle BOF = 130 - 70 = 60^{\circ}$

So, $\angle BOC = 60^{\circ}$

22. Question

In the given figure, AB || CD. If \angle BAO = 60° and \angle OCD = 110°, then \angle AOC = ?





B. 60°

C. 50°

D. 40°

Answer

According to question,

AB || CD

AB || DF (DC is produced to F)

_OCD=110°

 \angle FCD = 180 - 110 = 70°(linear pair)

Now in triangle FOC, we have

 \angle FOC + \angle CFO + \angle OCF = 180°

 \angle FOC + 60 + 70 = 180°


∠FOC = 180 - 130

=50°

So, $\angle AOC = 50^{\circ}$

23. Question

In the given figure, AB || CD. If $\angle AOC = 30^{\circ}$ and $\angle OAB = 100^{\circ}$, then $\angle OCD = ?$



A. 130°

B. 150°

C. 80°

D. 100°

Answer

From O, draw E such that OE || CD || AB.

OE || CD and OC is traversal.

So,

 \angle DCO + \angle COE = 180 (co -interior angles)

x + ∠COE = 180

∠COE = (180 - x)

Now, OE || AB and AO is the traversal.

 \angle BAO + \angle AOE = 180 (co - interior angles)

 \angle BAO + \angle AOC + \angle COE = 180


100 + 30 + (180 - x) = 180

180 - x = 50

 $X = 180 - 50 = 130^{\circ}$

24. Question

In the given figure, AB || CD. If \angle CAB = 80° and \angle EFC = 25°, then \angle CEF = ?



- A. 65°
- B. 55°
- C. 45°
- D. 75°

AB || CD

 $\angle BAC = \angle DCF = 80^{\circ}$

 \angle ECF + \angle DCF = 180° (linear pair of angles)

 \angle ECF =100°


Now in triangle CFE,

 \angle ECF + \angle EFC + \angle CEF = 180° \angle CEF = 180° - 100° - 25°

=55⁰

25. Question

In the given figure, AB || CD. If \angle APQ = 70° and \angle PRD = 120°, then \angle QPR = ?



- B. 60°
- C. 40°
- D. 35°

- $\angle PRD = 120^{\circ}$ $\angle PRQ = 180^{\circ} - 120^{\circ} = 60^{\circ}$ $\angle APQ = \angle PQR = 70^{\circ}$
- Now, in triangle PQR, we have

$$\angle PQR + \angle PRQ + \angle QPQ = 180^{\circ}$$


 $70 + 60 + \angle QPQ = 180^{\circ}$

∠QPQ =180° - 130°

=50°

26. Question

In the given figure, x = ?



- A. a + β γ
- Β. α β + γ
- C. a + β + γ
- D. a + γ β

Answer

AC is produced to meet OB at D.

 $\angle OEC = 180 - (\beta + \gamma)$ So, $\angle BEC = 180 - (180 - (\beta + \gamma)) = (\beta + \gamma)$ Now, $x = \angle BEC + \angle CBE$ (Exterior Angle) $= (\beta + \gamma) + \alpha$ $= \alpha + \beta + \gamma$

If 3∠A = 4∠B = 6∠C, then A : B : C = ? A. 3:4:6 B. 4:3:2 C. 2:3:4 D. 6:4:3

Answer

Let say $3\angle A = 4\angle B = 6\angle C = x$ $\angle A = x/3$ $\angle B = x/4$ $\angle C = x/6$ $\angle A + \angle B + \angle C = 180$ x/3 + x/4 + x/6 = 180 (4x + 3x + 2x)/12 = 180 9x/12 = 180 X = 240 $\angle A = x/3 = 240/3 = 80$ $\angle B = x/4 = 240/4 = 60$ $\angle C = x/6 = 240/6 = 40$ So, A:B:C = 4:3:2

28. Question

In $\triangle ABC$, if $\angle A + \angle B = 125^{\circ}$ and $\angle A + \angle C = 113^{\circ}$, then $\angle A = ?$

- A. (62.5°)
- B. (56.5)°
- C. 58°
- D. 63°

Answer

 $\angle A + \angle B + \angle C = 180$ $\angle C = 180 - 125 = 55^{\circ}$ $\angle A + \angle C = 113^{\circ}$ $\angle A = 113 - 55 = 58^{\circ}$

In $\triangle ABC$, if $\angle A - \angle B = 42^{\circ}$ and $\angle B - \angle C = 21^{\circ}$, then $\angle B = ?$


- A. 95°
- B. 53°
- C. 32°
- D. 63°

Answer

 $\angle A = \angle B + 42$ $\angle C = \angle B - 21$ $\angle A + \angle B + \angle C = 180$ $\angle B + 42 + \angle B + \angle B - 21 = 180$ $3 \angle B + 21 = 180$ $3 \angle B = 159$ $\angle B = 53^{\circ}$

30. Question

In $\triangle ABC$, side BC is produced to D. If $\angle ABC = 40^{\circ}$ and $\angle ACD = 120^{\circ}$, then $\angle A = ?$



 \angle ACD + \angle ACB = 180 (Linear pair of angles)

 $/ACB = 60^{\circ}$


 $\angle ABC = 40^{\circ}$

As we know that

 $\angle ACB + \angle ACB + \angle BAC = 180^{\circ}$

 $\angle BAC = 180 - 60 - 40$

Side BC of \triangle ABC has been produced to D on left hand side and to E on right hand side such that \angle ABD = 125° and \angle ACE = 130°. Then \angle A = ?




 $\angle ACB + \angle ABC + \angle BAC = 180^{\circ}$ $\angle BAC = 180 - 55 - 50$

=75⁰

32. Question

In the given figure, $\angle BAC = 30^{\circ}$, $\angle ABC = 50^{\circ}$ and $\angle CDE = 40^{\circ}$. Then $\angle AED = ?$



A. 120°

B. 100°

C. 80°


D. 110°

Answer

 $\angle ACB + \angle ABC + \angle BAC = 180$ $\angle ACB = 180 - 50 - 30 = 100^{\circ} (Sum of angles of triangle is 180)$ $\angle ACB + \angle ACD = 180 (linear pair of angles)$ $\angle ACD = 180 - 100 = 80^{\circ}$ In triangle ECD, $\angle ECD + \angle CDE + \angle DEC = 180$ $\angle DEC = 180 - 80 - 40$ $= 60^{\circ}$ $\angle DEC + \angle AED = 180^{\circ} (linear pair of angles)$ $\angle AED = 180^{\circ} - 60^{\circ}$ $= 120^{\circ}$

33. Question

In the given figure, $\angle BAC = 40^{\circ}$, $\angle ACB = 90^{\circ}$ and $\angle BED = 100^{\circ}$. Then $\angle BDE = ?$



- A. 50°
- B. 30°
- C. 40°
- D. 25°

Answer

In triangle AEF,

$$\angle$$
BED = \angle EFA + \angle EAF

 \angle EFA = 100 - 40 = 60°

 \angle CFD = \angle EFA (vertical opposite angles)

= 60⁰

In triangle CFD, we have


$$\angle CFD + \angle FCD + \angle CDF = 180^{\circ}$$

 $\angle CDF = 180^{\circ} - 90^{\circ} - 60^{\circ}$
 $= 30^{\circ}$

So, $\angle BDE = 30^{\circ}$

34. Question

In the given figure, BO and CO are the bisectors of $\angle B$ and $\angle C$ respectively. If $\angle A = 50^{\circ}$, then $\angle BOC = ?$



A. 130°

B. 100°

C. 115°

D. 120°

Answer

In ∆ABC,

 $\angle A + \angle B + \angle C=180^{\circ}$

 $50^{\circ} + \angle B + \angle C = 180^{\circ}$

```
∠B + ∠C=180°-50°=130°
```

∠B = 65°

∠C = 65°

Now in $\triangle OBC$,


 $\angle OBC + \angle OCB + \angle BOC = 180^{\circ}$

 $\angle BOC = 180^{\circ} - 65^{\circ} (\angle OBC + \angle OCB = 65$ because O is bisector of $\angle B$ and $\angle C$)

= 115°

35. Question

In the given figure, AB || CD. If \angle EAB = 50° and \angle ECD = 60°, then \angle AEB = ?



- A. 50°
- B. 60°
- C. 70°
- D. 55°

Answer

AB || CD and BC is traversal.

So, $\angle DCB = \angle ABC = 60^{\circ}$

Now in triangle AEB, we have


 $\angle ABE + \angle BAE + \angle AEB = 180^{\circ}$

$$\angle AEB = 180^{\circ} - 60^{\circ} - 50^{\circ}$$

```
= 70<sup>0</sup>
```

36. Question

In the given figure, $\angle OAB = 75^{\circ}$, $\angle OBA = 55^{\circ}$ and $\angle OCD = 100^{\circ}$. Then $\angle ODC = ?$



A. 20°

B. 25°

C. 30°

D. 35°

Answer

In triangle AOB,

 $\angle AOB = 180^{\circ} - 75^{\circ} - 55^{\circ}$

= 50°

 $\angle AOB = \angle COD = 50^{\circ}$ (Opposite angles)


Now in triangle COD,

 $\angle ODC = 180^{\circ} - 100^{\circ} - 50^{\circ}$

= 30^o

37. Question

In a $\triangle ABC$ its is given that $\angle A : \angle B : \angle C = 3 : 2 : 1$ and $CD \perp AC$. Then $\angle ECD = ?$



So,

 $\angle A = 90^{\circ}$

 $\angle B = 60^{\circ}$

∠C = 30°

 $\angle ACB + \angle ACD + \angle ECD = 180^{\circ}$ (sum of angles on straight line)

 $\angle ECD = 180^{\circ} - 90^{\circ} - 30^{\circ}$

= 60°

38. Question

In the given figure, AB || CD. If $\angle ABO = 45^{\circ}$ and $\angle COD = 100^{\circ}$ then $\angle CDO = ?$

A. 25°

B. 30°

C. 35°

D. 45°

Answer

```
\angle BOA = 100^{\circ} (Opposite pair of angles)
```

So,


 $\angle BAO = 180^{\circ} - 100^{\circ} - 45^{\circ}$

=350

 $\angle BAO = \angle CDO = 35^{\circ}$ (Corresponding Angles)

39. Question

In the given figure, AB || DC, \angle BAD = 90°, \angle CBD = 28° and \angle BCE = 65°. Then \angle ABD = ?



- A. 32°
- B. 37°
- C. 43°
- D. 53°

Answer

 \angle BCE = \angle ABC =65° (Alternate Angles)

 $\angle ABC = \angle ABD + \angle DBC$


 $65^\circ = \angle ABD + 28^\circ$

∠ABD = 65 - 28

= 37°

40. Question

For what value of x shall we have I || m?



B. x = 70

C. x = 60

D. x = 45

Answer


X + 20 = 2x - 30(Corresponding Angles)

2x - x = 30 + 20

 $X = 50^{\circ}$

41. Question

For what value of x shall we have I || m?



A. x = 35

B. x = 30

C. x = 25

D. x = 20

Answer

 $4x + 3x + 5 = 180^{\circ}$ (Interior angles of same side of traversal)


 $7x + 5 = 180^{\circ}$

7x = 175

 $X = 25^{\circ}$

42. Question

In the given figure, sides CB and BA of \triangle ABC have been produced to D and E respectively such that \angle ABD = 110° and \angle CAE = 135°. Then \angle ACB = ?





B. 45°

C. 55°

D. 65°

Answer

 $\angle ABC = 180 - 110 = 70^{\circ}$ (Linear pair of angles)

 $\angle BAC = 180 - 135 = 45^{\circ}$ (Linear pair of angles)

So,


In Triangle ABC, we have

 $\angle ABC + \angle BAC + \angle ACB = 180^{\circ}$

 $\angle ACB = 180 - 70 - 45 = 65^{\circ}$

43. Question

In $\triangle ABC$, $BD \perp AC$, $\angle CAE = 30^{\circ}$ and $\angle CBD = 40^{\circ}$. Then $\angle AEB = ?$



- A. 35°
- B. 45°

C. 25°

D. 55°

Answer

In triangle BDC,

 $\angle B = 40, \angle D = 90$

So, $\angle C = 180 - (90 + 40)$

= 50°

Now in triangle AEC,

 $\angle C = 50, \angle A = 30$

So, $\angle E = 180 - (50 + 30)$


 $= 100^{\circ}$

Thus, $\angle AEB = 180 - 100$ (Sum of linear pair is 180°)

= 80°

44. Question

In the given figure, AB || CD, CD || EF and y : z = 3 : 7, then x = ?



A. 108°

B. 126°

C. 162°

D. 63°

Answer

Let n be the common multiple.

Y + Z = 180

3n + 7n = 180

N = 18

So, $y = 3n = 54^{\circ}$


 $z = 7n = 126^{\circ}$

x = z (Pair of alternate angles)

So, x = 126^o

45. Question

In the given figure, AB || CD || EF, EA \perp AB and BDE is the transversal such that \angle DEF = 55°. Then \angle AEB = ?



A. 35°

B. 45°

C. 25°

D. 55°

Answer

According to question

AB || CD || EF and

 $EA \perp AB$

So, $\angle D = \angle B$ (Corresponding angles)

According to question CD || EF and BE is the traversal then,

 $\angle D + \angle E = 180$ (Interior angle on the same side is supplementary)

So, ∠D = 180 - 55 = 125^o

And $\angle B = 125^{\circ}$

Now, AB || EF and AE is the traversal.

So, $\angle BAE + \angle FEA = 180$ (Interior angle on the same side of traversal is supplementary)


90 + x + 55 = 180

X + 145 = 180

 $X = 180 - 145 = 35^{\circ}$

46. Question

In the given figure, AM \perp BC and AN is the bisector of $\angle A$. If $\angle ABC = 70^{\circ}$ and $\angle ACB = 20^{\circ}$, then $\angle MAN = ?$



A. 20°

B. 25°

C. 15°

D. 30°

Answer

In triangle ABC,

∠B = 70⁰

∠C = 20⁰

So, $\angle A = 180^{\circ} - 70^{\circ} - 20^{\circ} = 90^{\circ}$

According to question, AN is bisector of $\angle A$

So, $\angle BAN = 45^{\circ}$

Now, in triangle BAM,

∠B = 70°

∠M = 90°

 $\angle BAM = 180^{\circ} - 70^{\circ} - 90^{\circ} = 20^{\circ}$

Now, ∠MAN = ∠BAN – ∠BAM

= 45° - 20°

= 25°

47. Question

An exterior angle of a triangle is 110° and one of its interior opposite angles is 45°, then the other interior opposite angle is

A. 45°

B. 65°

C. 25°

D. 135°

Answer

Exterior angle formed when the side of a triangle is produced is equal to the sum of the interior opposite angles.

Exterior angle = 110°

One of the interior opposite angles = 45°

Let the other interior opposite angle = x

 $110^{\circ} = 45^{\circ} + x$


 $x = 110^{\circ} - 45^{\circ}$

 $x = 65^{\circ}$

Therefore, the other interior opposite angle is 65°.

48. Question

The sides BC, CA and AB of \triangle ABC have been produced to D, E and F respectively as shown in the figure, forming exterior angles \angle ACD, \angle BAE and \angle CBF. Then, \angle ACD + \angle BAE + \angle CBF = ?



- A. 240°
- B. 300°
- C. 320°
- D. 360°

Answer

In ∆ ABC,

we have CBF = 1 + 3 ...(i) [exterior angle is equal to the sum of opposite interior angles] Similarly, ACD = 1 + 2 ...(ii)

and BAE = 2 + 3 ...(iii)

On adding Eqs. (i), (ii) and (iii),

we get CBF + ACD + BAE =2[1 + 2 + 3] = 2 × 180° = 4 × 90°

[by angle sum property of a triangle is 180°] CBF + ACD + BAE = 4 right angles

Thus, if the sides of a triangle are produced in order, then the sum of exterior angles so formed is equal to four right angles = 360°

49. Question

The angles of a triangle are in the ratio 3:5:7. The triangle is

- A. acute angled
- B. right angled
- C. obtuse angled
- D. isosceles

Answer

Let x be the common multiple.

3x + 5x + 7x = 180

15x = 180

x = 180/15

 $x = 123x = 3 \times 12 = 36$

5x = 5 X 12 = 60

7x = 7 X 12 = 84

Since, all the angles are less than 90° . So, it is acute angled triangle.

50. Question

If the vertical angle of a triangle is 130°, then the angle between the bisectors of the base angles of the triangle is

A. 65°

B. 100°

C. 130°

D. 155°

Answer

Let x and y be the bisected angles.

So in the original triangle, sum of angles is

130 + 2x + 2y = 180

2(x + y) = 50

x + y = 25

In the smaller triangle consisting of the original side opposite 130 and the 2 bisectors,


x + y + Base Angle = 180

25 + Base Angle = 180

Base Angle = 155°

51. Question

The sides BC, BA and CA of \triangle ABC have been produced to D, E and F respectively, as shown in the given figure. Then, \angle B = ?





В. 55⁰

C. 65°

D. 75°

Answer

 $BAC = 35^{\circ}$ (opposite pair of angles)

 $BCD = 180 - 110 = 70^{\circ}$ (linear pair of angles)

Now, in Triangle ABC we have,


 $A + B + C = 180^{\circ}$

35 + B + 70 = 180

 $B = 180 - 105 = 75^{\circ}$

52. Question

In the adjoining figure, y = ?



A. 36°

B. 54°

C. 63°

D. 72°

Answer

x + y + 90 = 180 (sum of angles on a straight line)

x + y = 90(i)

3x + 72 = 180 (sum of angles on a straight line)

3x = 108

 $x = 108/3 = 36^{\circ}$

Putting this value in eq (i), we get

x + y = 90

36 + y = 90

 $Y = 90 - 36 = 54^{O}$

53. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If the two angles of a triangle measure 50° and 70°, then its third angle is 60°.	The sum of the angles of a triangle is 180°.

A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).

B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).

C. Assertion (A) is true and Reason (R) is false.

D. Assertion (A) is false and Reason (R) is true.

Answer

Г

Sum of triangle is = 180°

And $70 + 60 + 50 = 180^{\circ}$

54. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)		Reason (R)	
	If a ray \overline{CD} stands on a line \overrightarrow{AB} such that $\angle ACD = \angle BCD$, then $\angle ACD = 90^\circ$.	If a ray \overline{CD} stands on a line \overline{AB} , then $\angle ACD + \angle BCD = 180^{\circ}$.	

A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).

B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).

C. Assertion (A) is true and Reason (R) is false.

D. Assertion (A) is false and Reason (R) is true.

Answer

According to linear pair of angle, sum of angles on straight line is 180

And $90 + 90 = 180^{\circ}$

55. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If the side BC of a $\triangle ABC$ is produced to D, then $\angle ACD = \angle A + \angle B$.	The sum of the angles of a triangle is 180°.

A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).

B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).

C. Assertion (A) is true and Reason (R) is false.

D. Assertion (A) is false and Reason (R) is true.

Answer

No, this is not linked with the given reason.

56. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If two lines AB and CD intersect at O such that $\angle AOC = 40^{\circ}$, then $\angle BOC = 140^{\circ}$.	If two straight lines intersect each other, then vertically opposite angles are equal.

A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).

B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).

C. Assertion (A) is true and Reason (R) is false.

D. Assertion (A) is false and Reason (R) is true.

Answer

Because when two lines intersect each other, then vertically opposite angles are always equal.

57. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If AB CD and t is the transversal as shown, then $\angle 3 = \angle 5$.	If a ray stands on a straight line the sum of the adjacent angles so formed is 180°.
$\begin{array}{c} A \\ 2 \\ 1 \\ 4 \\ 3 \\ 6 \\ 5 \\ \hline C \\ 8 \\ 7 \\ D \end{array}$	
4	

A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).

B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).

C. Assertion (A) is true and Reason (R) is false.

D. Assertion (A) is false and Reason (R) is true.

Answer

3 and 5 are pair of consecutive interior angles. It is not necessary to be always equal.

58. Question

Match the following columns:

Column I	Column II
(a) If x° and y° be the measures of two complementary angles such that 2x = 3y, then x=	(p) 45°
(b) If an angle is the Supplement of itself, then	(q) 60°
then the measure of the angle is	
(c) If an angle is the complement of itself, then	(r) 54°
the measure of the angle is	
(d) If x° and y° be the angles forming a linear pair such that $x - y = 60^\circ$, then $y = \dots$	(s) 90°

The correct answer is:

A. –, B. –,

C. -, D. -,

Answer

(a) - (r), (b) - (s), (c) - (p), (d) - (q) (a) - (r) X + y = 90 X + 2x/3 = 90


5x/3 = 90
X = 270/5
= 54
(b) - (s)
X + y = 180 (according to question $x = y$)
X + x = 180
2x = 180
X = 90
(c) – (p)
X + y = 90 (according to question $x = y$)
X + x = 90
2x = 90
X = 45
(d) - (q)
X + y = 180 (linear pair of angles)(i)
X - y = 60 (according to question) (ii)
Adding (i) and (ii) we get,
2x = 240
X = 120
Now putting this in (ii) we get,

Y = 120 - 60 = 60

59. Question

Match the following columns:

Column I	Column II
(a) In the given figure, ABC is a straight line. Then, ∠ACD = 	(p) 110°
▶□ .	



A	в	

The correct answer is:

A. -, B. -,

C. -, D. -,

Answer

(a) - (r), (b) - (p), (c) - (s), (d) - (q) (a) - (r) 2x + 3x = 180 (linear pair of angles) 5x =180 X = 36 2x = 2 X 36 = 72(b) - (p) 2x - 10 + 3x - 10 = 180 (linear pair of angles) 5x - 20 = 1805x = 200x = 40AOD = 3x - 10 (opposite angles are equal) = 120 - 10= 110(c) - (s) C = 180 - (A + B) (sum of angles triangle is 180) = 180 - (60 + 65)= 55 ACD = 180 - 55 (sum of linear pair of angles is 180) = 180 - 55 = 125 (d) - (q) B = D) (alternate interior angles) = 55 ACB = 180 - (55 + 40) (sum of angles of triangle is 180) = 180 - 95

= 85

Formative Assessment (Unit Test)

1. Question

The angles of a triangle are in the ratio 3:2:7. Find the measure of each of its angles.

Answer

Let x be the common multiple.

3x + 2x + 7x = 180 12x = 180 X = 15 $3x = 45^{\circ}$ $2x = 30^{\circ}$ $7x = 105^{\circ}$ **2. Question** In a $\triangle ABC$, if $\angle A - \angle B = 40^{\circ}$ and $\angle B - \angle C = 10^{\circ}$, find the measure of $\angle A$, $\angle B$ and $\angle C$.

Answer


- A = B + 40
- C = B 10
- A + B + C = 180
- B + 40 + B + B 10 = 180
- 3B + 30 = 180
- 3B = 180 30 = 150
- $B = 50^{O}$

So, $A = B + 40 = 90^{\circ}$

 $C = B - 10 = 40^{\circ}$

3. Question

The side BC of \triangle ABC has been increased on both sides as shown. If \angle ABD = 105° and \angle ACE = 110°, then find \angle A.



Answer

B = 180 - 105 (sum of linear pair of angles is 180)

= 75

C = 180 - 110 (sum of linear pair of angles is 180)

= 70

So, A = 180 - (B + C) (sum of angles of triangle is 180)


= 180 - (70 + 75)

= 35⁰

4. Question

Prove that the bisectors of two adjacent supplementary angles include a right angle.

Answer



Given, \angle DAB + EBA = 180°. CA and CB are bisectors of \angle DAB \angle EBA respectively... \angle DAC + \angle CAB = 1/2 (\angle DAB)....(1) \Rightarrow \angle EBC + \angle CBA = 1/2 (\angle EBA)....(2) \Rightarrow \angle DAB + \angle EBA = 180° \Rightarrow 2 (\angle CAB) + 2 (\angle CBA) = 180° [using (1) and (2)] \Rightarrow \angle CAB + \angle CBA = 90°

In ∆ ABC,

 \angle CAB + \angle CBA + \angle ABC = 180° (Angle Sum property) \Rightarrow 90° + \angle ABC = 180° \Rightarrow \angle ABC = 180° - 90° \Rightarrow \angle ABC = 90°

5. Question

If one angle of a triangle is equal to the sum of the two other angles, show that the triangle is right – angled.

Answer

Let $\angle A = x$, $\angle B = y$ and $\angle C = z$

 $\angle A + \angle B + \angle C = 180$ (sum of angles of triangle is 180)

x + y + z = 180i)

According to question,

x = y + z(ii)

Adding eq (i) and (ii), we get

x + x = 180


2x = 180

X = 90

Hence, It is a right angled triangle.

6. Question

In the given figure, ACB is a straight line and CD is a line segment such that $\angle ACD = (3x - 5)^{\circ}$ and $\angle BCD = (2x + 10)^{\circ}$. Then, x = ?




5x + 5 = 180

5x = 175

X = 175/5 = 35

7. Question

In the given figure, AOB is a straight line. If $\angle AOC = 40^{\circ}$, $\angle COD = 4x^{\circ}$ and $\angle BOD = 3x^{\circ}$, then x = ?



D. 35

Answer

40 + 4x + 3x = 180 (sum of angles on a straight line)

- 7x + 40 = 180
- 7x = 180 40
- X = 140/7 = 20

8. Question

The supplement of an angle is six times its complement. The measure of this angle is

- A. 36°
- B. 54°
- C. 60°
- D. 72°


Answer

Let x be the angle then, complement = 90 - x supplement = 180 - x

According to question, $180 - x = 6(90 - x)180 - x = 540 - 6x180 + 5x = 5405x = 360x = 72^{\circ}$

9. Question

In the given figure, AB || CD || EF. If \angle ABC = 85°, \angle BCE = x° and \angle CEF = 130°, then x = ?




A. 30

B. 25

C. 35

D. 15

Answer



According to question,

AB || EF

EF || CD (AB is produced to F, CF is traversal)

ZFEC=130°

Now, \angle BFC + \angle BFO = 180°(Sum of angles of Linear pair is 180°)

 $\angle BFO = 180^{\circ} - 130^{\circ} = 50^{\circ}$

Now in triangle BOF, we have

$$\angle ABO = \angle BFO + \angle BOF$$


85 = 50 + ∠BOF

∠BOF = 85 - 50 =35°

So, x = ⁰

10. Question

In the given figure, AB || CD, \angle BAD = 30° and \angle ECD = 50°. Find \angle CED.



Answer

 $\angle A = \angle D$ (Pair of alternate angles)

 $= 30^{\circ}$

Now, in triangle EDC we have

$$\angle D = 30^{\circ}$$
 and $\angle C = 50^{\circ}$

So,

= 180 - 30 - 50

 $=100^{\circ}$

11. Question

In the given figure, BAD || EF, $\angle AEF = 55^{\circ}$ and $\angle ACB = 25^{\circ}$, find $\angle ABC$.

Answer

According to question EF || BAD

Producing E to O, we get

 \angle EFA + \angle AEO = 180 (Linear pair of angles)


Now, in triangle ABC we get,

$$\angle A = 125 \text{ and } \angle C = 25$$

So, $\angle ABC = 180 - (\angle A + \angle C)$
= 180 - (125 + 25)
= 180 - 150
= 30^O

12. Question

In the given figure, BE \perp AC, \angle DAC = 30° and \angle DBE = 40°. Find \angle ACB and \angle ADB.



Answer

In triangle BEC we have,

$$\angle B = 40^{\circ} \text{ and } \angle E = 90^{\circ}$$

So, $\angle C = 180^{\circ} - (90 + 40)$

=50^O

Therefore, $\angle ACB = 50^{\circ}$

Now intriangle ADC we have,

$$\angle A = 30^{\circ} \text{ and } \angle C = 50^{\circ}$$

So, $\angle D = 180^{\circ} - (30 + 50)$
= 100[°]
Therefore,

 \angle ADB + \angle ADC = 180 (sum of angles on straight line)


∠ADB + 100 = 180

∠ADB = 180 - 100

= 80⁰

13. Question

In the given figure, AB || CD and EF is a transversal, cutting them at G and H respectively. If \angle EGB = 35° and QP \perp EF, find the measure of \angle PQH.



Answer

$$\angle$$
EGB = \angle QHP (Alternate Exterior Angles) = 35^C

$$\angle QPH = 90^{\circ}$$


So, in triangle QHP we have,

$$\angle QPH + \angle QHP + \angle PQH = 180^{\circ}$$

 $90^{\circ} + 35^{\circ} + \angle PQH = 180^{\circ}$
 $\angle PQH = 180^{\circ} - 90^{\circ} - 35^{\circ}$
 $= 55^{\circ}$

14. Question

In the given figure, AB || CD and EF \perp AB. If EG is the transversal such that \angle GED = 130°, find \angle EGF.



Answer

 \angle GEC = 180 - 130 = 50^O (linear pair of angles)

According to question,

AB || CD and EF is perpendicular to AB.

 \angle GEC = \angle EGF (pair of alternate interior angles)

= 50^O

15. Question

Match the following columns:

Column I	Column II
(a) An angle is 10° more than its complement. The measure of the angle is	(p) 160°
(b) In $\triangle ABC$, $\angle A = 65^{\circ}$ and $\angle B - \angle C = 25^{\circ}$, then $\angle B = \dots$	(q) 50°
(c) In $\triangle ABC$, $\angle A = 40^{\circ}$ and $\angle B = \angle C$? If EF BC, then $\angle EFC =$	(r) 70°
E F B C	
(d) If the angles around a point are 2x °, 3x°, 5x°	(s) 110°
and 40° then the measure of largest angle is	

The correct answer is:

A. –, B. –,

C. -, D. -,


Answer

(a) - (q), (b) - (r), (c) - (s), (d) - (p)

(a) - (q) x + x + 10 = 902x + 10 = 902x = 80x = 40 $x + 10 = 50^{\circ}$ (b) - (r) ∠A + ∠B + ∠C =180 65 + ∠B + ∠B - 25 = 180 $2 \angle B + 40 = 180$ 2∠B = 140 $/B = 70^{\circ}$ (d) - (p) ∠A + ∠B + ∠C + ∠D =360 2x + 3x + 5x + 40 = 36010x + 40 = 36010x = 320 $X = 32^{O}$ $5x = 32 X 5 = 160^{\circ}$

16 A. Question

In the given figure, lines AB and CD intersect at O such that $\angle AOD + \angle BOD + \angle BOC = 300^{\circ}$. Find $\angle AOD$.



Answer

According to question,

 $\angle AOD + \angle BOD + \angle BOC = 300^{\circ}$.

In the given figure CD is a straight line.

As we know, Sum of angle on a straight line is 180^O

S0,

AOD + BOD + BOC = 300


AOD + 180 = 300

AOD = 300 - 180

= 120^O

16 B. Question

In the given figure AB || CD, \angle APQ = 50° and \angle PRD = 120°. Find \angle QPR.



Answer

According to question,

 $PRD = 120^{O}$

PRD = APR (Pair of alternate interior angles)

So,

APR = 120

APQ + QPR = 120


50 + QPR = 120

QPR = 120 - 50

17. Question

In the given figure, BE is the bisector of $\angle B$ and CE is the bisector of $\angle ACD$.

Prove that



Answer

In triangle ABC we have,

A + B + C = 180

Let B = x and C = y then,

A + 2x + 2y = 180 (BE and CE are the bisector of angles B and C respectively.)

x + y + A = 180

A = 180 - (x + y)(i)


Now, in triangle BEC we have,

B = x/2 C = y + ((180 - y) / 2) = (180 + y) / 2 B + C + BEC = 180 x/2 + (180 + y) / 2 + BEC = 180 $BEC = (180 - x - y) / 2 \dots (ii)$ From eq (i) and (ii) we get,


BEC = A/2

18. Question

In \triangle ABC, sides AB and AC are produced to D and E respectively. BO and CO are the bisectors of \angle CBD and \angle BCE respectively. Then, prove that







Here BO, CO are the angle bisectors of \angle DBC & \angle ECB intersect each other at O.

 $\therefore \angle 1 = \angle 2$ and $\angle 3 = \angle 4$

Side AB and AC of ΔABC are produced to D and E respectively.

 $\therefore \text{ Exterior of } \angle \text{DBC} = \angle \text{A} + \angle \text{C} \dots \dots \dots \dots (1)$

And Exterior of $\angle ECB = \angle A + \angle B$ (2)

Adding (1) and (2) we get

 $\angle DBC + \angle ECB = 2 \angle A + \angle B + \angle C.$

 $2 \angle 2 + 2 \angle 3 = \angle A + 180^{\circ}$

 $\angle 2 + \angle 3 = (1/2) \angle A + 90^{\circ}$ (3)

But in a $\triangle BOC = \angle 2 + \angle 3 + \angle BOC = 180^{\circ}$ (4) From eq (3) and (4) we get $(1/2)\angle A + 90^{\circ} + \angle BOC = 180^{\circ}$ $\angle BOC = 90^{\circ} - (1/2)\angle A$

19. Question

Of the three angles of a triangle, one is twice the smallest and another one is thrice the smallest. Find the angles.

Answer

Let x be the common multiple.

So, angles will be x, 2x and 3x

X + 2x + 3x = 180

6x = 180

X =30


2x = 2 X 30 = 60

 $3x = 3 \times 30 = 90$


So, Angles are $30^{\circ},60^{\circ}$ and 90°

20. Question

In $\triangle ABC$, $\angle B = 90^{\circ}$ and $BD \perp AC$. Prove that $\angle ABD = \angle ACB$.



Answer



According to question,

```
\angle B = 90^{\circ}
In triangle BDC, we have,
\angle BDC = 90^{\circ}
\angle DBC = (90 - x)^{\circ}
\angle BDC + \angle DBC + \angle DCB = 180^{\circ}
90^{\circ} + (90 - x)^{\circ} + y = 180^{\circ}
180^{\circ} - x + y = 180^{\circ}
x = y
So,
\angle ABD = \angle ACB
```