



RD Sharma  
Solutions  
Class 11 Maths  
Chapter 6  
Ex 6.1



## Chapter 6 Graphs of Trigonometric Functions Ex 6.1 Q1

To obtain the graph of  $y = 3 \sin x$  we first draw the graph of  $y = \sin x$  in the interval  $[0, 2\pi]$ . The maximum and minimum values are 3 and  $-3$  respectively.



We have,

$$y = 2 \sin \left( x - \frac{\pi}{4} \right)$$

$$\Rightarrow (y - 0) = 2 \sin \left( x - \frac{\pi}{4} \right)$$

Shifting the origin at  $\left( \frac{\pi}{4}, 0 \right)$ , we have

$$x = X + \frac{\pi}{4} \text{ and } y = Y + 0$$

Substituting these values in (i), we get

$$Y = 2 \sin X$$

Thus we draw the graph of  $Y = 2 \sin X$  and shift it by  $\frac{\pi}{4}$  to the right to get the required graph.



We have,

$$y = 2 \sin (2x - 1)$$

$$\Rightarrow (y - 0) = 2 \sin 2 \left( x - \frac{1}{2} \right)$$


Shifting the origin at  $\left( \frac{1}{2}, 0 \right)$ , we have

$$x = X + \frac{1}{2} \text{ and } y = Y + 0$$

Substituting these values in (i), we get

$$Y = 2 \sin 2X$$

Thus we draw the graph of  $Y = 2 \sin 2X$  and shift it by  $1/2$  to the right to get the required graph.



We have,

$$y = 3 \sin (3x + 1)$$

$$\Rightarrow (y - 0) = 3 \sin 3 \left( x + \frac{1}{3} \right)$$


Shifting the origin at  $\left(-\frac{1}{3}, 0\right)$ , we have

$$x = X - \frac{1}{3} \text{ and } y = Y + 0$$

Substituting these values in (i), we get

$$Y = 3 \sin 3X$$

Thus we draw the graph of  $Y = 3 \sin 3X$  and shift it by  $1/3$  to the left to get the required graph.



We have,

$$y = 3 \sin \left( 2x - \frac{\pi}{4} \right)$$

$$\Rightarrow (y - 0) = 3 \sin 2 \left( x - \frac{\pi}{8} \right)$$


Shifting the origin at  $\left(\frac{\pi}{8}, 0\right)$ , we have

$$x = X + \frac{\pi}{8} \text{ and } y = Y + 0$$


Substituting these values in (i), we get

$$Y = 3 \sin 2X$$

Thus we draw the graph of  $Y = 3 \sin 2X$  and shift it by  $\frac{\pi}{8}$  to the right to get the required graph.



**Chapter 6 Graphs of Trigonometric Functions Ex 6.1 Q2**



We have,

$$y = \sin \left( x + \frac{\pi}{4} \right)$$

$$\Rightarrow y - 0 = \sin \left( x + \frac{\pi}{4} \right) \qquad \text{---(i)}$$

Shifting the origin at  $\left(-\frac{\pi}{4}, 0\right)$ , we obtain


$$x = X - \frac{\pi}{4}, \ y = Y + 0$$

Substituting these values in (i), we get

$$Y = \sin X.$$

Thus we draw the graph of  $Y = \sin X$  and shift it by  $\frac{\pi}{4}$  to the left to get the required graph

To obtain the graph of  $y = \sin 3x$  we first draw the graph of  $y = \sin x$  in the interval  $[0, 2\pi]$  and then divide the  $x$ -coordinates of the points where it crosses  $x$ -axis by 3.



**Kopykitab**  
Same textbooks, click away