VOLUME AND SURFACE AREA OF SOLIDS - CHAPTER15

EXERCISE – 15A

Answer1.

(i) Given, l = 12cm, b = 8cm, h = 4.5cm.

Volume of cuboid = $(l \times b \times h)$ cubic units

= 12cm $\times 8$ cm $\times 4.5$ cm

 $= 432 \text{ cm}^3$

Lateral surface area of cuboid

= $[2(l + b) \times h]$ surface unit = $[2(12+8) \times 4.5]$ cm² = $[2 \times 20 \times 4.5]$ cm² = 180 cm²

Total surface area of cuboid

= 2(lb + bh + hl) square units = $2(12cm \times 8cm + 8cm \times 4.5cm + 4.5cm \times 12cm)$ = $2(96cm^2 + 36cm^2 + 54cm^2)$ = $2 \times 186cm^2$ = $372 cm^2$

(ii) Given, l = 26m, b = 14m, h = 6.5m

Volume of cuboid = $(l \times b \times h)$ cubic unit

 $= 26m \times 14m \times 6.5m$

$$= 2366m^{3}$$

Lateral surface Area of cuboid

=
$$[2(l + b) \times h]$$
 surface unit
= $[2 (26+14) \times 6.5] m^2$
= $[2 \times 40 \times 6.5] m^2$
= $520 m^2$.

Total surface Area of cuboid

=
$$2(lb + bh + hl)$$
 square units
= $2(26 \times 14 + 14 \times 6.5 + 6.5 \times 26)$
= $2(364+91+169)$
= 2×624
= $1248m^2$.
n,
n,
puation Section (Next) $\div 1dm = 1/10m$]

(iii)

```
Given, l = 15m, b = 6m,
```

h = 5 dm

Lateral surface Area of cuboid

=
$$[2(l + b) \times h]$$
 square unit
= $[2(15+6) \times 0.5] m^2$
= $[2 \times 21 \times 0.5] m^2$
= $21 m^2$.

Total surface Area of cuboid

(iv)

Given,

l=24m

$$b=25cm = 0.25m$$
 [: $1cm = 1/100$ m]

h=6m,

Volume of cuboid = $(l \times b \times h)$ cubic unit

 $= (24 \times .25 \times 6) \text{ m}^3$

 $= 36m^{3}$

Lateral surface area of cuboid

$$= [2(l + b) \times h]$$
 square unit

$$= [2 \times 24.25 \times 6]$$

Total surface area of cuboid

b×h)cubic unit

$$(24 \times .25 \times 6) \text{ m}^3$$

36m³
uboid
= $[2(1 + b) \times h]$ square unit
= $[2(24 + 0.25) \times 6] \text{ m}^2$
= $[2 \times 24.25 \times 6]$
= 291 m^2 .
boid
= $2(1b + bh + hl)$ square units
= $2(24 \times 0.25 + 0.25 \times 6 + 24 \times 6) \text{ m}^2$
= $2(6 + 1.5 + 144) \text{ m}^2$
= 2×151.2
= 303 m^2

Answer2. Given,

A match box measure = 4cm $\times 2.5$ cm $\times 1.5$ cm Volume of 1 match box = 4cm \times 2.5cm \times 1.5cm $= 15 cm^{3}$: volume of one matchbox = 15cm^3

 \therefore volume of 12 matchbox = 15 × 12 cm³

$$= 180 \text{ cm}^3$$
.

Answer 3. Given,

Cuboid water tank

Length (l) = 6m

Width(b) = 5m

Height(h) = 4.5m

Volume of cuboid water tank = $(l \times b \times h) = (6 \times 5 \times 4.5) \text{ m}^3 = 135 \text{ m}^3$ tbook5.

Given, $1m^3 = 1000$ litres

So, $135m^3 = 135 \times 1000$ litres

= 135000 litre

Litre of water hold by tank = 135000 litre.

Answer 4. Given,

Capacity of a cuboid tank = 50000 litre

Length(l) = 10m

Depth(h) = 2.5m

Volume of tank = length \times depth \times width

Capacity = 50000 litre

 $:: 1000 \text{ litre} = 1 \text{m}^3 \text{ (given)}$

 $\therefore 1$ litre = $\frac{1}{1000}$ m³

 $\therefore 50000 \text{ litre} = \frac{50000}{1000} \text{m}^3 = 50 \text{m}^3$

 $50 = 10 \times b \times 2.5$ $50 = 25 \times b$

$$b = \frac{1}{25} = 2m$$

width of tank = 2m

Answer5. Given,

Go down measures = $40m \times 25m \times 15m$

Each wooden crates measures = $1.5m \times 1.25m \times 0.5m$

Maximum no. of wooden crates = $\frac{volumeofgodown}{volumeofonewoodencrates}$

= $40m \times 25m \times 15m$

Maximum no. of wooden crates = 16000.

Answer 6. Given,

Dimensions of plank = $5m \times 25m \times 10cm (5m \times 0.25m \times 0.1m)$

Length of pit(l) = 20m

Width of pit(b) = 6m

Deep of pit(h) = 80cm = 0.8m

Total no. of planks stored in pit = $\frac{volumeofpit}{volumeofoneplank}$

Volume of pit = $l \times b \times h$

$$= 20 \times 6 \times 0.8 = 96 \text{m}^3$$

Volume of plank = $l \times b \times h$

 $= 5 \times 0.25 \times 0.1 = 0.125 \text{m}^3$

Total no. of plank stored in pit = $96m^3/0.125m^3$

= 768.

Answer 7. Given,

Length of wall(l) = $8m = 800cm \{\because 1m = 100cm\}$ Height of wall(h) = 6m = 600cm

Athooks, MA

Thick of wall(b) = 22.5cm

Volume of wall = $l \times b \times h$

 $=800 \times 600 \times 22.5$

= 1080000 cm³

Dimension of each brick = 25 cm $\times 11.25$ cm $\times 6$ cm

Volume of each brick = $l \times b \times h$

 $= 1687.5 \text{ cm}^3$

Let total required bricks to construct wall = x

volumeofwall $x = \frac{volumeofonebrick}{volumeofonebrick}$ $=\frac{10800000}{1687.5}$ x = 6400

Answer 8. Given,

Length of cistern = 8m(l)

Breadth of cistern = 6m(b)

Depth of cistern = 2.5m

Let , capacity of closed rectangular cistern = x

 $x = l \times b \times h$ $= 8 \times 6 \times 2.5$ $= 120m^{3}$

Area of the iron sheet require to make the cistern = surface area of cistern surface area of cistern = 2(lb+bh+hl)

puire to make the cistern = surface area of cistern su

$$= 2(8 \times 6 + 6 \times 2.5 + 2.5 \times 8)$$

$$= 2(48 + 15.0 + 20)$$

$$= 2 \times 83$$

$$= 166 \text{ m}^2$$

$$= (9m \times 8m \times 6.5m)$$

Answer9. Given,

Room dimensions = $(9m \times 8m \times 6.5m)$

Room has one door, two windows

dimension of door = $2m \times 1.5m$

dimensions of windows = $1.5m \times 1m$

cost of white wishing the walls = 25 per sq. meter

area of wall=lateral surface area of wall

lateral surface area of wall = $[2(l+b) \times h]$

let l = 9, b = 8, h = 6.5(given)

$$= [2(9+8) \times 6.5]m^3$$

$$=2 \times 17 \times 6.5$$

Area of wall $= 221m^3$

Let area of wall which will be white wishing = xx = area of wall - [area of door + area of windows]area of door = $2 \times 1.5 = 3m^2$

area of windows = $1.5 \times 1 = 1.5 m^2$

but there are two windows then

$$= 1.5 \times 2$$

$$= 3m^{2}$$

 $x = 221 - (3+3) = 215m^2$

 \therefore per square meter cost = 25

 \therefore 216 square meter cost = 25 \times 215

$$= 5375$$

Answer 10. Given,

Length of the wall = 15m

Width of wall = 30cm = 0.3m

Height of wall = 4m

Volume of wall = $l \times b \times h$

 $= 15 \times .3 \times 4 = 18.0 \text{ m}^3$

Brick dimension = $22 \text{ cm} \times 12.5 \text{ cm} \times 7.5 \text{ cm}$

Volume of brick = 2062.5 cm³

 \rightarrow 1/12 of the total volume of the wall consist mortar

So, volume of mortar = $1/12 \times 18 = 1.5 \text{m}^3$

Volume of wall which is made of brick = $18.15 = 16.5m^3$

Let total brick require = x

 $\mathbf{x} = \frac{volumeofwall}{volumeofbrick}$

volume of brick = 2062.5 cm³

$$=\frac{2062.5}{100\times100\times100}\text{m}^{3}$$

 $x = 16.5 / \frac{2062.5}{100 \times 100 \times 100} = 8000$

Answer11. Given,

External dimension of box = $36 \text{cm} \times 25 \times 16.5 \text{cm}$

Total dimension of box = $(36-3) \times (25-3) \times (16.5-1.5)$

Because box is 1.5cm throughout

Volume of external box = $36 \times 25 \times 16.5$

 $= 14850 \text{ cm}^3$

Volume of internal box = $33 \times 22 \times 15$

 $= 10890 \text{ cm}^3$

Volume of iron in box = 14850 - 10890

 $= 3960 \text{ cm}^3$

 $: 1 \text{ cm}^3 \text{ of iron weighs} = 15 \text{ gm}$

 \therefore 3960 cm³ of iron weighs is = 15×3960

= 59400gm

:: 1 kg = 1000 gm

 \therefore 59400gm = 59400/1000 = 59.4kg

Answer 12. Given

Sheet metal costs=6480

Per square meter cost = 120

Area of sheet metal = $\frac{totalcost}{costpersquaremeter}$



CLASS IX

putting the values

 $\Rightarrow 1536 = 16 \times \frac{3}{2} h \times h$ \Rightarrow 1536 = 8×3×h² $\Rightarrow h^2 = \frac{1536}{8 \times 3} = 64$ $\Rightarrow h = \sqrt{64}$ \Rightarrow h = 8m \Rightarrow b = 3/2h thooks, Misch away $b = 1.5 \times 8$ b = 12mbreadth = 12mheight = 8mAnswer14. Given, Dining hall of dimension = $20m \times 16m \times 4.5m$ Volume of dining hall $= 1440m^2$ One person require 5m³ of air Total no. of person accommodate in hall = $\frac{volumeofhall}{volumeofaperson}$

$$=\frac{1440}{5}=288$$
 persons

Answer15. Given,

Length of classroom(l)=10m

Width of classroom (b)=6.4m

Height of classroom(h)=5m

Area of classroom floor = 10×6.4

 $= 64m^{2}$

One student require area = $1.6m^2$

No. of students in classroom $=\frac{64}{1.6}=40$

Volume of air = volume of classroom

 $= l \times b \times h$

=10×6.4×5

 $=320m^{3}$

Require cubic meters of air for each student

volumeofair totalstudents

$$=\frac{320}{40}=8m^3$$

Answer16. Given,

Surface area of cuboid = 758cm²

Length of cuboid = 14cm

Breadth of cuboid = 11cm

Surface area of cuboid = 2(lb+bh+hl)

Let h be the height of cuboid

CLASS IX

 $\Rightarrow 758 = 2(14 \times 11 + 11 \times h + 14 \times h)$ \Rightarrow 758=2(154+25h) \Rightarrow 154+25h=379 ⇒25h=379-154 ⇒25h=225 $\Rightarrow h = \frac{225}{25} = 9 cm$

Height of cuboid is 9cm

Answer17. Given,

Height of rain falls (h) = 5cm

Area of ground = 2 hectares

 \therefore 1 hectares = 10000m²

 \therefore 2 hectares = 20000m²

HORES HINCH SWEN Volume of water falls on ground = area \times depth

 $\Rightarrow 2 \times 10000 \times \frac{5}{100} = 2 \times 100 \times 5 = 1000$

Volume of water $= 1000m^3$

Answer 18. Given,

Edge measure of cube (a) = 9m

Volume of cube $= a^3$

Volume of cube = $9 \times 9 \times 9 = 729 \text{m}^3$

Lateral surface area of cube = $4a^2$

CLASS IX

 $\Rightarrow 4 \times 9 \times 9$

 $\Rightarrow 4 \times 81$

 $\Rightarrow 324m^2$

Total surface area of cube = $6a^2$

 $=4 \times 9 \times 9$

$$\Rightarrow 6 \times 81 = 486 \text{m}^2$$

A diagonal of a cube = $\sqrt{3}$ a

$$= \sqrt{3} \times 9$$

= 1.79 × 9 = 15.57 m.
surface area of cube = 1176 cm³
surface area of cube = 6a²

Answer 19. Given,

Total surface area of cube = 1176 cm³

Total surface area of cube = $6a^2$

 $6a^2 = 1176$

 $a^2 = \frac{1176}{6} = 196$

 $\Rightarrow a = \sqrt{196} = 14$

a = 14cm

volume of cube = a^3

 $= 14 \times 14 \times 14$

$$= 2744 \text{ cm}^{3}$$

Answer 20. Given,

Lateral surface area of cube = 900 cm^2

Lateral surface area of cube = $4a^2$

CLASS IX

 $\Rightarrow 4a^{2} = 900$ $\Rightarrow a^{2} = \frac{900}{4} = 225$ $\Rightarrow a = \sqrt{225} = 15cm$ volume of cube = a^{3} $\Rightarrow 15 \times 15 \times 15$ $\Rightarrow 3375cm^{3}$

Answer 21. Given, Volume of cube = 512 cm³ $a^3 = 512$ a = 8 cmsurface area of cube = $6a^2$ $= 6 \times 8 \times 8$ $= 6 \times 64$ $= 384 cm^2$

Answer 22. Given,

Size of cube = $3cm \times 4cm \times 5cm$

Volume of cube which is form by these three = $(3^3 \times 4^3 \times 5^3)$ cm³

 $= 27 \times 64 \times 125$

 $= 216 \text{ cm}^3$

Let side of new cube = a

CLASS IX

volume = a^3 $216 = a^3$ $a = \sqrt{216} = 6 cm$

lateral surface area of new cube = $4a^2$

$$= 4 \times 6 \times 6$$
$$= 144 \text{ cm}^2$$

Answer 23. Given,

Longest side in a cuboid = diagonal of cuboid

Answer 24.Given,

 \Rightarrow l + b + h = 19cm....(1)

length of diagonal = 11cm

Diagonal of cuboid = $\sqrt{l^2 + b^2 + h^2}$

 $\sqrt{l^2+b^2+h^2} = 11$

 $l^2+b^2+h^2 = 121$ -----(2)

do square of equation of (1)

 $\Rightarrow (l+b+h)2 = (19)2$

l2 + b2 + h2 + 2(lb + bh + hl) = 361 -----(3)

put the values in equation (3)

 $\Rightarrow 121 + 2(lb + bh + hl) = 361$

 $\Rightarrow 2(lb + bh + hl) = 361 - 121$

 $\Rightarrow 2(lb + bh + hl) = 240$

Surface area of cuboid = 240 cm²

Answer 25. Given,

Let edge of cube = a

6a² Surface area of cube (a) $= 6a^2$

edge is increased by 50% so,

new edge a' = $a + \frac{a \times 50}{100}$

Surface area of new cube $= 6 \times a^2$

$$a' = 6 \times (\frac{3a}{2})^2$$

 $\Rightarrow a + \frac{a}{2} = \frac{3a}{2}$

$$a' = \frac{27}{2} a^2$$

percentage increase in surface are = $\left(\frac{a-a'}{a}\right) \times 100$

$$=\frac{\left(\frac{27}{2}\right)a \times a - 6 \times a \times a}{6 \times a \times a} \times 100$$

$$=\frac{27a\times a+2a\times a}{6\times 2\times a\times a}\times 100$$

CLASS IX

Answer 26.

Volume of cuboid = V

Dimension of cuboid = a,b,c

Surface area
$$=$$
 S

V=abc, S = 2(ab+bc+ca)

To be proven

$$\frac{1}{v} = \frac{2}{5} \left(\frac{1}{a} \times \frac{1}{b} \times \frac{1}{c} \right)$$

$$RHS = \frac{2}{s} \left(\frac{1}{a} \times \frac{1}{b} \times \frac{1}{c} \right)$$

$$= \frac{2}{2(ab+bc+ca)} \times \left(\frac{1}{a} \times \frac{1}{b} \times \frac{1}{c} \right)$$

$$= \frac{bc+ab+ca}{(ab+bc+ca)abc}$$

$$= \frac{1}{abc}$$

$$= \frac{1}{v} LHS$$

Answer 27 Given, canal dimension 30 dm wide and 12 dm deep, velocity 20km/hr.

Distance covered by in 30 min = velocity of water \times time

$$= \left(20000 \times \frac{30}{60}\right)m = 10000m$$

Volume of water flown in 30 min = $(l \times b \times h) = \left(10000 \times \frac{30}{10} \times \frac{12}{10}\right) m^3 = 36000 m^3$

Let the area irrigated be $x m^2$

Hence, $x \times \frac{9}{100} = 36000$

$$\Rightarrow x = \left(36000 \times \frac{100}{9}\right) = 400000 \ m^2$$

Answer 28. dimension of cuboid = $9m \times 8m \times 2m$

Volume = $144m^3$

Edge of cube $= a^3$

$$=(2)^{3}$$

$$=8m^{3}$$

 $Total cube = \frac{volume of cuboid}{volume of one cube}$

CLASS IX

EXERCISE – 15B

Answer 1:

Given :

diameter = 28 cm

so, radius (r) = 14 cm

 $(r=\frac{d}{2})$

height (h) =40 cm

Find

(i) Curved surface area of cylinder = ?

Curved Surface area of cylinder = $2\pi rh sq$. Unit

$$= 2 \times \left(\frac{22}{7}\right) \times 14 \times 40$$
$$= 160 \times 22 \text{ cm}^2$$

 $= 3520 \text{ cm}^2$

(ii) Total Surface area of cylinder = $\{2\pi r(r+h)\}$ sq. Unit

$$= 2 \times \left(\frac{22}{7}\right) \times 14 \times (14 + 40)$$
$$= 88 \times 54 \text{cm}^2$$
$$= 4752 \text{ cm}^2$$

(iii) Volume of cylinder $= \pi r^2 h$ cubic Unit

$$= \left(\frac{22}{7}\right) \times 14^2 \times 40$$

$$= 44 \times 560 \text{ cm}^3$$

$$= 24640 \text{ cm}^{3}$$

Answer 2: Given :

diameter of bowl (d) = 7 cm



Concrete required for one pillar = Volume of pillar

$$= \pi r^{2} h \text{ cubic Unit}$$
$$= \left(\frac{22}{7}\right) \times (0.2)^{2} \times 10 m^{3}$$
$$= 1.256 m^{3}$$

so, Concrete required for 14 pillars = 14 × *Concreterequired for one pillar*

 $= 14 \times 1.256m^3$ $= 17.6 \text{ m}^3$

 $= l \times b \times h$ cubic Unit

 $5 \times 4 \times 15$ cm³

Answer 4:

(i)

Given: length (l) = 5 cm

breadth (b) = 4 cm

height (h) = 15 cm

Capacity of tin with rectangular base = Volume of Tin



dimeter (d) = 7 cm

so, radius (r) = 3.5 cm

height (h) = 10 cm

cm³ Capacity of plastic cylinder = volume of Cylinder

> $=\pi r^{2}h$ cubic Unit = 10 m $= \left(\frac{22}{7}\right) \times (3.5)^2 \times 10 \text{ cm}^3$

 $= 385 \text{ cm}^{3}$

Capacity of Plastic Cylinder is greater by 85 cm³ than Capacity of Tin



Given:

No. Of pillars = 20Diameter (d) =50 cm = 0.5 m(1 cm = 0.1 m)radius (r) = 0.25 m SO, **RS** Aggarwal solutions

CLASS IX

Height (h) = 4 m
Cost of Cleaning = 14 rs per
$$m^2$$

Curved Surface area of one pillar = $2\pi rh$ sq. Unit

$$= 2 \times \left(\frac{22}{7}\right) \times (0.25) \times 4m^2$$

 $= 6.28 \text{ m}^2$

Cost of Cleaning for one Pillar = *CostofCleaning* × *Areaofonepillar*

 $= 14 \times 6.28$

= Rs 87.92

= Rs 1760 (approx) ren: Curved Surface area = 4.4 m^2 radius (r) = 0.7 mCost of Cleaning for 20 Pillar = $20 \times 87.92 \ 20 \ x \ 87.92$

Answer 6: Given:

height = ?

Curved Surface area = $2\pi rh = 4.4 m^2$

$$\Rightarrow 2 \times \left(\frac{22}{7}\right) \times (0.7) \times h = 4.4$$
$$\Rightarrow \qquad h = 1 \text{ m}$$

Volume of Cylinder = $\pi r^2 h$ cubic Unit

$$= \left(\frac{22}{7}\right) \times (0.7)^2 \times 1 \text{m}^3$$
$$= 1.54 \text{ m}^3$$

Answer 7: Given: Curved Surface area = 94.2 cm^2 height(h) = 5 cmFind (i) Radius of its base = ? Curved Surface area = $2\pi rh = 94.2 cm^2$ $=>2 \times 3.14 \times r \times 5 = 94.2$ $(\pi = 3.14)$ r = 3 cm⇒ Hisch awa (ii) Volume of cylinder = $\pi r^2 h$ cubic unit $= 3.14 \times 3^2 \times 5 \text{ cm}^3$ $= 141.3 \text{ cm}^{3}$ Answer 8: Given: Capacity of Closed Cylinder = 15.4 litre $= 15400 \text{ cm}^3$ (1 litre = 1000 cm³) height(h) = 1m = 100 cm Area of metal sheet = total surface area of vessel = $2\pi r(r+h)$ let's find radius of vessel Volume of vessel = Capacity of vessel = 15400 cm^3 $\Rightarrow \pi r^2 h = 15400$ $\left(\frac{22}{7}\right) \times (r)^2 \times 100 = 15400$ $r^2 = 49$ \Rightarrow r = 7 cm Area of metal sheet = total surface are of cylindrical vessel $= 2\pi r(r+h)$ sq. Unit **CLASS IX RS** Aggarwal solutions

$$= 2 \times \left(\frac{22}{7}\right) \times 7 \times (7 + 100) \text{cm}^2$$
$$= 4708 \text{ cm}^2$$

Answer 9:

Given:

Inner diameter (d) = 24 cm \Rightarrow Inner radius (r) = 12 cmOuter diameter (D) = 28 cmOuter radius (R) = 14 cm \Rightarrow $\mu(R^{2} - r^{2})h$ $= \left(\frac{22}{7}\right) \times (14^{2} - 12^{2}) \times 35$ $= \frac{22}{7} \times (196 - 144)$ length = height(h) = 35 cmvolume of wooden pipe in cm³ $=\frac{22}{7} \times (52) \times 35 \text{ cm}^3$ $= 5720 \text{ cm}^3$ 1 cm³ of wood has a mass of 0.6 gm Mass of pipe ⇒ $= 5720 \times 0.6 g$ = 3432 gm= 3.432 kg(1000 gm = 1 kg)

Answer 10: Given:

diameter (d) = 5 cm

 \Rightarrow radius (r) =2.5 cm

CLASS IX

length (h) = 28 m = 280 cm

Total radiating surface = curved surface area of pipe

=
$$2\pi rh$$
 sq. Unit
= $2 \times \left(\frac{22}{7}\right) \times 2.5 \times 2800$
= 44,000 cm²

Answer 11: Given:

radius (r) =10.5 cm

height (h)=60 cm

volume of solid cylinder = $\pi r^2 h$ cubic unit

 $=\frac{22}{7} \times (10.5)^2 \times 60 \text{ cm}^3$

 $= 20790 \text{ cm}^3$

thus, it is given that material of cynlinder weighs 5 g per cm³ Anne textbook

weight of cylinder = $20790 \times 5g$ SO,

 $= 103950 \, \mathrm{gm}$

= 103.95 kg

(1 kg = 1000 gm)

Answer 12: Given:

Curved Surface area = 1210 cm^2

diameter (d) = 20 cm

= 10 cmradius (r)

height (h) = ?

 \Rightarrow

Curved Surface area = $2\pi rh$ sq. Unit = 1210 cm^2

 $2 \times \left(\frac{22}{7}\right) \times 10 \times h = 1210$ \Rightarrow

CLASS IX

h = 19.25 cm

volume of cylinder = $\pi r^2 h$ cubic unit

$$= \frac{22}{7} \times (10)^2 \times 19.25 \text{ cm}^3$$
$$= 6050 \text{ cm}^3$$

Answer 13: Given:

Curved Surface area $= 4400 \text{ cm}^2$

Circumference of base = 110 cm

let radius = r and height = h for the cynlinder.

$$\Rightarrow 2 \times \left(\frac{22}{7}\right) \times r = 110$$

r = 17.5 cm

Curved Surface area = $2\pi rh = 4400 \text{ cm}^2$ 17.5 × h = 4400

$$\Rightarrow 2 \times \left(\frac{22}{7}\right) \times 17.5 \times h = 4400$$

h = 40 cm

Volume of Cylinder = $\pi r^{2}h$ cubic unit

 $=\frac{22}{7} \times (17.5)^2 \times 40 \text{ cm}^3$

 $= 38,500 \text{ cm}^3$

Answer 14: Given:

Volume of Cylinder = 1617 cm^3

$$\frac{radius(r)}{height(h)} = \frac{2}{3}$$

 $r = \frac{2h}{3}$ eq.(i)

Total surface area = ?

 $Volume \ of \ Cylinder = \pi r^2 h \ = 1617 \ cm$ putting the value of r from eq.(i) in formula, we get

$$\frac{22}{7} \times \left(\frac{2h}{3}\right)^2 \times h = 1617$$

$$\frac{22}{7} \times \left(\frac{2h}{3}\right) \times \left(\frac{2h}{3}\right) \times h = 1617$$

$$h^3 = 1157.625$$

$$\Rightarrow \qquad h = \sqrt[3]{1157.625}$$

$$h = 10.5 \text{ cm}$$
thus,
$$r = \frac{2h}{3} = \frac{2x10.5}{3}$$

$$r = 7 \text{ cm}$$
Total Surface area of Cylinder = $2\pi r(r + h)$ sq. Unit
$$= 2 \times \left(\frac{22}{7}\right) \times 7 \times (7 + 10.5)$$

$$= 770 \text{ cm}^2$$

Answer 15: Given:

r

Total Surface area = 462 cm^2

Curved surface area = $\frac{1}{3}$ (total surface area)

$$=\frac{1}{3}(462) \text{ cm}^2$$

= 154 cm²

Total Surface area = $2\pi r(r + h) = 462 \text{ cm}^2$ eq. (i) Curved surface area = $2\pi rh = 154 cm^2$ eq.(ii) Divide eq.(i) by eq.(ii), we get $\frac{r+h}{h} = 3$ \Rightarrow r + h = 3h r = 2h..... eq.(iii) putting the value of r in eq.(ii) , we get $2 \times \left(\frac{22}{7}\right) \times 2h \times h = 154$ $h^2 = \frac{49}{4}$ ⇒ h = $\frac{7}{2}$ = 3.5 cm $r = 2 h = 2 x \frac{7}{2} = 7 cm$ thus, volume of Cylinder = $\pi r^2 h$ cubic unit $=\frac{22}{7} \times 7^2 \times 3.5 \text{ cm}^3 = 539 \text{ cm}^3$ Answer 16: Given: Total Surface area = 231 cm^2 Curved surface area = $\frac{2}{3}$ (total surface area) $=\frac{2}{3}(231)$ cm² $= 154 \text{ cm}^2$ Total Surface area =

CLASS IX

$$2\pi r(r + h) = 231 \text{ cm}^2 \qquad \dots \text{ eq. (i)}$$
Curved surface area =
$$2\pi rh = 154 \text{ cm}^2 \qquad \dots \text{ eq.(ii)}$$
Divide eq.(i) by eq.(ii), we get
$$\frac{r+h}{h} = \frac{3}{2}$$

$$\Rightarrow \qquad 2r + 2h = 3h$$

$$r = \frac{h}{2} \qquad \dots \text{ eq.(iii)}$$
putting the value of r in eq.(ii), we get
$$2 \times \left(\frac{22}{7}\right) \times \left(\frac{h}{2}\right) \times h = 154$$

$$\Rightarrow \qquad h^2 = 49$$

$$h = \sqrt{49} = 7 \text{ cm}$$
thus,
$$r = \frac{h}{2} = \frac{7}{2} = 3.5 \text{ cm}$$
volume of cylinder = πr^2h cubic unit
$$= \frac{22}{7} \times (3.5)^2 \times 7 \text{ cm}^3 = 269.5 \text{ cm}^3$$
Answer 17: Given:
$$total surface area = 616 \text{ cm}^2$$

 $\Rightarrow \frac{2\pi rh}{2\pi r(r+h)} = \frac{1}{2}$ $\frac{h}{r+h} = \frac{1}{2}$

CLASS IX

RS Aggarwal solutions

 $\frac{curvedsurfacearea}{totalsurfacearea} = \frac{1}{2}$

$$\Rightarrow 2h = r+h$$

$$h = r \dots eq.(i)$$
total surface area = 616 cm²

$$\Rightarrow 2\pi r(r+h) = 616$$

$$2 \times \left(\frac{22}{7}\right) \times r \times (r+r) = 616 \qquad \{h = r \text{ from eq.}(i)\}$$

$$r^{2} = 49$$

$$r = \sqrt{49} = 7 \text{ cm}$$

$$\Rightarrow r = h = 7 \text{ cm}$$
Volume of Cylinder = $\pi r^{2}h$ cubic unit
$$= \frac{22}{7} \times 72 \times 7$$

$$= 1078 \text{ cm}^{3}$$
Answer 18: Given:
$$diameter of bucket = 28 \text{ cm}$$

$$\Rightarrow radius (r) = 14 \text{ cm}$$
height of bucket (h_b) = 72 \text{ cm}
length of rectangular tank (l) = 66 cm

breadth (b) = 28 cm

let height of rectangular tank = h_t

Volume of bucket = $\pi r^2 h$ cubic unit

$$=\frac{22}{7} \times 14^2 \times 72 \text{ cm}^3$$

$$= 44352 \text{ cm}^3$$

CLASS IX

Volume of rectngular tank = $l \cdot b \cdot h$

 $= 66 \times 28 \times htcm^3$

 $= 1848h_t cm^3$

Volume of bucket = Volume of rectngular tank

$$\Rightarrow$$

 $44352 = 1848h_t$

 $h_t = 24 \text{ cm}$

Answer 19: Given:

Height of barrel = 7 cm

diameter(d) = 5 mm

 \Rightarrow radius (r) = 2.5 mm = .25 cm (1 cm = 0.1 mm)

Volume of barrel = $\pi r^2 h$ cubic unit

 $=\frac{22}{7} \times (0.25)^2 \times 7 \text{ cm}^3$

CK awai

 $= 1.375 \text{ cm}^3$

1 full barrel is used to write 330 words

 \Rightarrow 1.375 cm³ used to write 330 words

so, $\frac{1}{5}$ litre = 200 cm³ can be used for

 $= (330 \text{ x} \frac{1}{1.375} \text{ x} 200) = 48000 \text{ words}$

Answer 20: Given:

Volume of gold = 1 cm^3

diameter = 0.1 mm

so, radius (r) = 0.05 mm = 0.005 cm (1 mm = 0.1 cm)

let the length of wire is l Volume of gold = $\pi r^2 l = 1 \text{ cm}^3$ $\Rightarrow \frac{22}{7} \times (0.005)^2 \times l = 1$ l = 12727.27 cm= 127.27 m (1 m = 100 cm)

Answer 21: Given:

Internal diameter = 3 cm \therefore radius (r) =1.5 cm height (h) = 1m = 100 cm thickness (t) = 1 cm external radius (R) = Internal radius (r) + thickness (t) \Rightarrow r + t = 1.5 + 1 = 2.5 cm

Volume of cast iron pipe = External volume - Internal Volume

Hisch away

$$= \pi R^{2}h - \pi r^{2}h$$

$$= \pi (R^{2} - r^{2})h$$

$$= \frac{22}{7} \times ((2.5)^{2} - (1.5)^{2}) \times 100$$

$$= \frac{22}{7} \times 4 \times 100$$

$$= \frac{8800}{7} cm^{3}$$
Weight of iron = $\frac{8800}{7} x 21 gm$ (Given 1 cm³ = 21 gm)
= 26400 gm
= 26.4 kg
Answer 22: Given:
Internal diameter = 10.4 cm

 \Rightarrow Internal radius (r) =5.2 cm

CLASS IX

height (h) = 25 cm

thickness (t) = 8 mm = 0.8 cmexternal radius (R) = Internal radius (r) + thickness (t)= r + t= 5.2 + 0.8= 6.0 cmVolume of cylindrical tube = External volume - Internal Volume $= \pi R^2 h - \pi r^2 h$ $= \pi (R^2 - r^2)h$ $=\frac{22}{7} \times ((6)^2 - (5.2)^2) \times 25 \text{ cm}^3$ diameter of bucket =140 cm radius (r) = 70 cm = 1 m = 100 cm $= 704 \text{ cm}^3$ Answer 23: Given: \therefore radius (r) = 70 cm height of bucket $(h_b) = 1 m = 100 cm$

Total Surface area of Cylinder = $2\pi r(r + h)$ sq. Unit

$$= 2 \times \left(\frac{22}{7}\right) \times 70 \times (70 + 100)$$
$$= 2 \times \left(\frac{22}{7}\right) \times 70 \times 170$$
$$= 74800 \text{ cm}^2$$

 $= 7.48 \text{ m}^2 \qquad (1 \text{ cm}^2 = 0.0001 \text{ m}^2)$

Answer 24:

Given:

radius of large vessel(R) = 15 cm

height (H) =32 cm

radius of glass (r) = 3 cm

height (h) = 8 cm

Price of one glass = 15 rs



radius of embankment (R) = inner radius + width of embankment

SHEP HINCH. SHIP

= 5 m + 7.5 m= 12.5 m let height of embankment is H

Volume dug out from well = volume of earth in embankment

 $\pi r^{2}h = \pi (R^{2} - r^{2})H$ 5 × 5 × 8.4= ((12.5)² - 5²) × H H = 1.6 m

Answer 26:

Given:

speed of water = 30 cm per sec

Area of cross section = 5 cm^2

time = 1 minute

Volume of water flows in one sec = area of cross section x length of water flows in 1s

$$= 5 \times 30 = 150 \text{ cm}^3$$

water flows in one minute = water flows in one $\sec x 60$

$$= 150 \times 60$$

$$= 9000 \text{ cm}^3$$

= 9 litre

 $(1 \text{ cm}^3 = 0.001 \text{ litre})$

Answer 27:

Given: diameter of tank = 1.4 m

 \Rightarrow radius (R) = 0.7 m

height (H) = 2.1 m

diameter of pipe = 3.5 cm = 0.35 m

CLASS IX RS Aggarwal solutions
$$\Rightarrow$$
 radius (r) = 0.175 m

rate of flow = 2 m per sec

Volume of tank = $\pi R^2 H$ cubic unit

$$= \pi \times (0.7)^2 \times 2.1$$

$$=\frac{1029\pi}{1000}$$
 m³

volume f water flow in 1 s = area of cross section x rate of flow per sec

$$= \pi r^2 \times 2$$

$$=\frac{22}{7} \times (0.175)^2 \times 2$$

$$=\frac{49\pi}{80000}$$
m³

let the time required to fill the tank is t seconds

t = 1680 s

water flow in t sec by pipe = volume of tank

$$t \ge \frac{49\pi}{80000} = \frac{1029\pi}{1000}$$

$$\Rightarrow$$

= 28 minutes

Answer 28:

Given:

diameter of container = 56 cm

radius (r) = 28 cm⇒

dimension of rectangular solid = (32 cm x 22 cm x 14 cm)

Volume of Solid = l.b.h

$$=32 \times 22 \times 14$$
 cm³
= 9856 cm³

let the rise in level of container is h cm.

CLASS IX

Volume of container = $\pi r^2 h$ cubic unit

$$=\frac{22}{7} \times 28 \times 28 \times h$$
$$= 2474h$$

Volume of solid = volume of container with height h and base radius 28 cm

$$\Rightarrow$$
 9856 = 2474h

h = 4 cm

Answer 29:

Given:

height (h) = 280 m

diameter = 3 m

 \Rightarrow

rate = $15 \text{ rs per } \text{m}^3$

```
rate of cementing =10 \text{ rs } \text{m}^2
```

volume of tube well = $\pi r^2 h$ cubic unit

radius (r) = 1.5 m

 \times 1.5 \times 1.5 \times 280m³

 $= 1980 \text{ m}^3$

price for sinking 1 m³ is 15 rs (i)

so , for 1980 $m^3 = 1980 \times 15$

= 29700 rs

(ii) Cost of cementing = ?

Curved Surface area = $2\pi rh$

$$= 2 \times \left(\frac{22}{7}\right) \times 1.5 \times 280$$
$$= 2640 \text{ m}^2$$

rate for cementing $1 \text{ m}^2 = 10 \text{ rs}$

for 2640 $m^2 = 2640 \times 10$ SO,

 $= 26400 \, rs$

Answer 30:

Given:

Weight of wire = 13.2 kg

diameter = 4 mm

radius (r) = 2 mm = 0.2 cm⇒

let the length of wire is h cm

volume of wire x 8.4 g = (13.2×1000) g Thus,

 $\pi r^2 h \ge 8.4 = 13200$

 $\frac{22}{7} \times 0.2 \times 0.2 \times h \times 8.4 = 13200$

h = 12500 cm = 125 m

Answer 31:

⇒

Given:

total cost for inner surface = 3300 rs

height (h) = 10 m

rate $= 30 \text{ rs per } m^2$

(i) inner curved surface area of vessel = $\frac{totalcost}{rate}$

$$=\frac{3300}{30}=110 \text{ m}^2$$

(ii) let inner radius = r metre

inner Curved Surface area = $2\pi rh = 110 m^2$

$$2 \times \left(\frac{22}{7}\right) \times r \times 10 = 110$$

h = 1.75 m

 \Rightarrow

books, Hisck away (iii) capacity of vessel = volume of vessel = $\pi r^2 h$ cubic unit

$$= \frac{22}{7} \times 1.75 \times 1.75 \times 10$$

= 96.25 m³

Answer 32:

Given: height (h) = 14 cm let inner radii = r cm and outer radii = R cm

Difference between surfaces area = 88 cm^2

 $(2\pi Rh - 2\pi rh) = 88$ ⇒

 $(R-r) = \frac{88}{2\pi h} = 1 \text{ cm} \qquad \dots \text{eq}(i)$

Volume of the tube = $\pi R^2 h - \pi r^2 h = 176 \text{ cm}^3$

 $\pi h(R^2 - r^2) = 176$

CLASS IX

$$\Rightarrow \frac{22}{7} \times 14 \times (R+r) \times (R-r) = 176 \qquad a^2 - b^2 = (a+b)(a-b)$$
putting value of eq(i) we get
$$\frac{22}{7} \times 14 \times 1 \times (R+r) = 176$$

$$\Rightarrow \qquad (R+r) = 4 \qquad \dots eq.(ii)$$

R = 2.5 cm

r = 1.5 cm

Answer 33:

Given:

Dimension = 30 cm x 18 cm

(i) Rolling by length

if we roll by length then breadth will be equal to height i.e,

h = 18 cm

and length will be equal to circumference of cylinder i.e,

 $2\pi r = 30 \text{ cm}$

$$\Rightarrow$$
 $r = \frac{15}{\pi} cm$

Volume of Cylinder $= \pi r^2 h$ cubic unit

$$=\pi \times \left(\frac{15}{\pi}\right) \times \left(\frac{15}{\pi}\right) \times 18$$
 cm³ $= \frac{4050}{\pi}$ cm³

(i) Rolling by breadth

if we roll by breadth then length will be equal to height i.e,

h = 30 cm

CLASS IX

and breadth will be equal to circumference of cylinder i.e,

$$2\pi r = 18 \text{ cm}$$

$$\Rightarrow$$
 r = $\frac{9}{\pi}$ cm

Volume of Cylinder = $\pi r^2 h$ cubic unit

$$= \pi \times \left(\frac{9}{\pi}\right) \times \left(\frac{9}{\pi}\right) \times 30 \qquad \text{cm}^3$$
$$= \frac{2430}{\pi} \text{cm}^3$$

Ratio = $\frac{Volume of Cylinderfold by length}{Volume of Cylinderfold by breadth}$

$$= \frac{\left(\frac{4050}{\pi}\right)}{\left(\frac{2430}{\pi}\right)} = \frac{405}{243} = \frac{5}{3}$$

= 5:3

CLASS IX

EXERCISE-15C

Answer

1-: Base Radius (r) = 5.25 cm Slant Height (l) = 10 cm Curved Surface Area of Cone = $\pi rl = \left(\frac{22}{7}\right) \times 5.25 \times 10 = 165 \ cm^2$

Answer 2-: Slant Height (l) = 21 m
Diameter of Base (d) = 24 m
Radius of base (r) =
$$\frac{d}{2} = \frac{24}{2} = 12 m$$

Total Surface Area of Cone = $\pi rl + \pi r^2$
= $\left[\left(\frac{22}{7}\right) \times 12 \times 21\right] + \left[\left(\frac{22}{7}\right) \times 12 \times 12\right] = 1244.57 m^2$

Answer 3-: Base Radius (r) = 7 cm Height (h) = 24 cm Slant Height (l) = $\sqrt{(h^2 + r^2)} = \sqrt{(24^2 + 7^2)} = 25 cm$ Area of Sheet required to make one Cap= Curved Surface Area of cone= πrl $= \left(\frac{22}{7}\right) \times 7 \times 25 = 550 cm^2$

For 10 Caps required Sheet = $550 \times 10 = 5500 \text{ cm}^2$

Answer 4-: Curved Surface Area of Cone = 308 cm^2 Slant Height (l) = 14 cm Let Radius of cone (r) = r cm $\pi rl = 308$

$$\pi rl = 308$$

$$\left(\frac{22}{7}\right) \times r \times 14 = 308$$

Total Surface Area of Cone = $\pi rl + \pi r^2 = \pi r (l + r)$ = $\left(\frac{22}{7}\right) \times 7 \times (14 + 7) = 462 \ cm^2$

Answer 5-: Slant Height (l) = 25 m Base Diameter (d) = 14m Base Radius (r) = $\frac{d}{2} = \frac{14}{2} = 7 m$ Curved Surface Area of Cone = $\pi rl = (\frac{22}{7}) \times 7 \times 25 = 550 m^2$ Given 1 m² cost = ₹12 $\therefore 550 m^2 cost = 12 \times 550 = ₹6600$

Answer 6-: Conical Tent Height (h) = 10 m Base Radius (r) = 24 m

Slant Height $(l) = \sqrt{(h^2 + r^2)} = \sqrt{10^2 + 24^2} = 26 m$ Area of Canvas required for Tent = Curved Surface Area of Cone = πrl $= \left(\frac{22}{7}\right) \times 24 \times 26 \ m^2$ Given 1 m² cost = ₹70 $\therefore \left(\frac{22}{7}\right) \times 24 \times 26 \ m^2 cost = \left(\frac{22}{7}\right) \times 24 \times 26 \times 70 = ₹137280$ **Answer 7-:** Total Numbers of Hollow Cones = 50 Base Diameter of Cone (d) = 40 cm Base Radius (r) = $\frac{d}{2}$ = 20 cm = 0.2 m Height (h) = 1 mSlant Height (l) = $\sqrt{(h^2 + r^2)} = \sqrt{(1^2 + (0.2)^2)} = \sqrt{1.04} = 1.02m$ Curved Surface Area of one cone = $\pi rl = \left(\frac{22}{7}\right) \times 0.2 \times 1.02 = 0.64056 m^2$ Total Curved Surface Area = $50 \times 0.640565 = 32.028 m^2$ Given 1 m² cost = ₹25214214 \therefore 32.028 m² cost = 25 × 32.028 = ₹800.7 **Answer 8-:** Base Radius (r) = 35 cm Height (h) = 12 cmSlant Height (l) = $\sqrt{(h^2 + r^2)} = \sqrt{12^2 + 35^2} = \sqrt{1369} = 37 \ cm$ Volume of Cone = $\left(\frac{1}{3}\right)\pi r^2 h = \left(\frac{1}{3}\right) \times \left(\frac{22}{7}\right) \times 35 \times 35 \times 12 = 15400 \ cm^3$ Curved Surface Area = $\pi r l = \left(\frac{22}{7}\right) \times 35 \times 37 = 4070 \ cm^2$ Total Surface Area of Cone = $\pi r l + \pi r^2 = \pi r (l + r)$ $=\left(\frac{22}{7}\right) \times 35(37+35) = 7920 \ cm^2$ **Answer 9-:** Height (h) = 6 cmSlant Height (l) = 10 cm Let radius = r $l = \sqrt{(h^2 + r^2)}$ $l^2 = h^2 + r^2$ $r^2 = 10^2 - 6^2 = 64$ $r = 8 \, cm$ Volume of Cone = $\left(\frac{1}{3}\right)\pi r^2 h = \left(\frac{1}{3}\right) \times 3.14 \times 8 \times 8 \times 6 = 401.92 \ cm^3$ Curved Surface Area = πrl = 3.14 × 8 × 10 = 251.2 cm^2 Total Surface Area of Cone = $\pi rl + \pi r^2$ $=\pi r (l + r) = 3.14 \times 8 \times (10 + 8) = 452.16 \ cm^2$ **Answer 10-:** Diameter of conical pit (d) = 3.5 mRadius (r) = $\frac{d}{2} = \frac{3.5}{2} = 1.75 m$ **CLASS IX RS** Aggarwal solutions

Height of pit (h) = 12 mCapacity of pit=Volume of pit= $(\frac{1}{3})\pi r^2 h = (\frac{1}{3}) \times (\frac{22}{7}) \times 1.75 \times 1.75 \times 12 = 38.5 m^3$ Given 1 m^3 capacity = 1 kilolitre \therefore 38.5 m³ capacity = 38.5 kilolitres **Answer 11-:** Diameter (d) = 9 mRadius (r) $=\frac{d}{2}=\frac{9}{2}=4.5 m$ Height (h) = 3.5 mGiven heap of wheat is conical \therefore Canvas Require for cover the heap = Curved Surface area of cone Curved Surface Area = $\pi rl = 3.14 \times 4.5 \times \sqrt{((4.5)^2 + (3.5)^2)} = 80.54 m$ $\{l = \sqrt{(h^2 + r^2)}\}$ $\{\iota = \sqrt{(n^2 + r^2)}\}$ Volume = $\frac{1}{3} \times \pi \times r^2 \times h = \frac{1}{3} \times 3.14 \times 4.5 \times 4.5 \times 3.5 = 74.1825 m^3$ **Answer 12-:** Area of canvas = 551 m^2 Base Radius of conical tent = 7 mBut 1 m² canvas is waste so, area of canvas to make tent = 550 m^2 $\pi \times r \times l = 550$ $\frac{22}{7} \times 7 \times l = 550$ l = 25 mHeight of tent= $\sqrt{(l^2 - r^2)} = 24m$ Volume of tent = $\frac{1}{3} \times \pi \times r^2 \times h = \frac{1}{3} \times \frac{22}{7} \times 7 \times 7 \times 24 = 1232 \, m^3$ **Answer 13-:** Base Radius (r) = 7 mTent Height (h) = 24 mSlant Height (l) = $\sqrt{(h^2 + r^2)} = \sqrt{24^2 + 7^2} = 24 m$ Area of cloth required to make tent = $\pi \times r \times l = \frac{22}{7} \times 7 \times 25 = 550 m^2$ Let total meters of cloth = 1 mWidth = 2.5 mArea = $l \times 2.5$ $550 = l \times 2.5$ l = 220 mAnswer14-: let, Heights of cones h1 & h2, base radius r1 & r2 $\frac{h1}{h2} = \frac{1}{3}$ and $\frac{r1}{r2} = \frac{3}{1}$ Volume of first cone V1 = $\frac{1}{3} \times \pi \times (r1)^2 \times h1$

Volume of first cone V2 = $\frac{1}{3} \times \pi \times (r^2)^2 \times h^2$

CLASS IX

$$\frac{V1}{V2} = \frac{\left(\frac{1}{3} \times \pi \times (r1)^2 \times h1\right)}{\frac{1}{3} \times \pi \times (r2)^2 \times h2}$$
$$\frac{V1}{V2} = \left(\frac{r1}{r2}\right)^2 \times \left(\frac{h1}{h2}\right)$$
$$\frac{V1}{V2} = \frac{3}{1}$$
$$V1 \cdot V2 = 3 \cdot 1$$

 $\frac{C1}{C2} = \frac{8}{5}$ $2\pi rh$

 $25h^2 = 16h^2 + 16r$

 $\pi r \sqrt{(h^2 + r^2)}$

SCK BWBY

Answer 15-: Cylinder and cone have equal Radii and Heights Let Height = h Base Radius = r Curved Surface Area of cone C2 = $\pi rl = \pi r \sqrt{(h^2 + r^2)}$ Curved Surface Area of cylinder C1 = $2\pi rh$

Given,



Answer 16-: Height of circular cone (h) = 3.6 cm Base Radius (r) = 1.6 cm Volume of cone = $\frac{1}{3}\pi r^2 h = \frac{1}{3} \times \frac{22}{7} \times 1.6 \times 1.6 \times 3.6 = 9.65 m^3$ Base Radius of new cone (R) = 1.2 cm Volume of new cone = H $\frac{1}{3} \times \frac{22}{7} \times 1.2 \times 1.2 \times H = \frac{1}{3} \times \frac{22}{7} \times 1.6 \times 1.6 \times 3.6$ H = 6.4 cm Answer 17-: Height of cylinder (H) = 3m Base Diameter (D) = 105 m Base Radius (R) = $\frac{D}{2}$ = 52.5 m

Slant Height (l) = 53 m

Area of canvas require to cover the tent = Curved surface area of cylinder + Curved Surface area of cone



Volume of cone = $\frac{1}{3}\pi R^2 h$ Require time to fill the cone = $\frac{Volume \ of \ cone}{Volume \ of \ Water \ flow \ per \ min}$ $=\frac{\frac{1}{3} \times \pi \times R^2 \times h}{\pi \times r^2} = \frac{153.6}{3} = 51.2 \text{ min.}$ $1 \min = 60 \sec \theta$ $\therefore 0.2 \text{ min} = 60 \times 0.2 = 12 \text{ sec}$ $= 51 \min 12$ seconds **Answer 21-:** Area of cloth = 165 m^2 Conical tent Radius = 5 mOne Student Occupies = $\frac{5}{7}m^2$ (i) Area of base of cone = $\pi r^2 = \frac{22}{7} \times 5 \times 5$ No. of Students = $\frac{\frac{22}{7} \times 5 \times 5}{\frac{5}{2}} = 110$ Volume of cone = $\frac{1}{3}\pi R^2 h$ Curved Surface Area of cone = πrl $165 = \frac{22}{7} \times 5 \times l$ l = 10.5 mVolume = $\frac{1}{3} \times \frac{22}{7} \times 5 \times 5 \times \sqrt{((10.5)^2 - 5^2)} = 241.8 \text{ m}^3$ { $h = \sqrt{(l^2 - r^2)}$ } (ii) Same textbo

CLASS IX

EXERCISE 15D

Answer 1:

(i)

radius (r) = 3.5 cm

Volume of sphere = $\frac{4}{3}\pi r^3$ cubic unit = $\frac{4}{3} \times \left(\frac{22}{7}\right) \times (3.5)^3 \text{cm}^3$ = 179.67 cm³ Surface area of Sphere = $4\pi r^2$ sq. Unit = $4 \times \left(\frac{22}{7}\right) \times (3.5)^2 \text{cm}^2$ = 154 cm² (ii) radius (r) = 4.2 cm Volume of sphere = $\frac{4}{3}\pi r^3$ cubic unit = $\frac{4}{3} \times \left(\frac{22}{7}\right) \times (4.2)^3 \text{cm}^3$ = 310.464 cm³

Surface area of Sphere = $4\pi r^2$ sq. Unit

$$= 4 \times \left(\frac{22}{7}\right) \times (4.2)^2 \text{cm}^2$$
$$= 221.76 \text{ cm}^2$$

(iii)

radius (r) = 5 cm

Volume of sphere $=\frac{4}{3}\pi r^3$ cubic unit

$$= \frac{4}{3} \times \left(\frac{22}{7}\right) \times (5)^3 \text{cm}^3$$
$$= 523.81 \text{ cm}^3$$

Surface area of Sphere = $4\pi r^2$ sq. Unit

$$= 4 \times \left(\frac{22}{7}\right) \times (5)^{2} \text{ cm}^{2}$$

$$= 314.28 \text{ cm}^{2}$$
Answer 2:
Volume of sphere $= \frac{4}{3}\pi r^{3} = 38808 \text{ cm}^{3}$ (Given V = 38808 cm³)
 $\Rightarrow \frac{4}{3} \times \left(\frac{22}{7}\right) \times (r)^{3} = 38808$
 $r^{3} = 9261$
 \Rightarrow $r = \sqrt[3]{9261}$
 $r = 21 \text{ cm}$
Surface area of Sphere $= 4\pi r^{2} \text{ sq. Unit}$
 $= 4 \times \left(\frac{22}{7}\right) \times (21)^{2} \text{ cm}^{2}$

$$= 4 \times \left(\frac{22}{7}\right) \times (21)^2 \mathrm{cr}$$
$$= 5544 \mathrm{cm}^2$$

(Given $V = 606.375 \text{ m}^3$)

Answer 3:

 \Rightarrow

Volume of sphere
$$=\frac{4}{3}\pi r^3 = 606.375 m^3$$

 $\Rightarrow \frac{4}{3} \times \left(\frac{22}{7}\right) \times (r)^3 = 606.375$

 $r^3 = 144.703125$

 \Rightarrow

 $r = \sqrt[3]{144.703125}$ r = 5.25 m

Surface area of Sphere = $4\pi r^2$ sq. Unit

$$= 4 \times \left(\frac{22}{7}\right) \times (5.25)^2 m^2$$
$$= 346.5 m^2$$

Answer 4:

(Given $S = 154 \text{ cm}^2$) $\frac{-\frac{9}{4}}{-\frac{9}{4}}$ $= 179.67 \text{ cm}^3$ let radius of sphere = r cm Surface area of Sphere = $4\pi r^2 = 154 \text{ cm}^2$ $4 \times \left(\frac{22}{7}\right) \times (r)^2 = 154$ $r = \frac{7}{2}cm = 3.5 cm$ Volume of sphere $=\frac{4}{3}\pi r^3$ cubic unit $\Rightarrow = \frac{4}{3} \times \left(\frac{22}{7}\right) \times (3.5)^3 \text{ cm}^3$ ⇒ Answer 5: let radius of sphere = r cm Surface area of Sphere = $4\pi r^2 = 576\pi \text{ cm}^2$ (Given $S = 576\pi cm^2$) $4 \times \pi \times (r)^2 = 576\pi$ $r^2 = 144$ r = 12 cmVolume of sphere $=\frac{4}{3}\pi r^3$ cubic unit

 $\Rightarrow \frac{4}{3} \times \pi \times (12)^3 \text{ cm}^3 = 2304 \pi \text{ cm}^3$

Answer 6:

Given :

diameter of leadshot = 3 mm

 \Rightarrow

radius (r) = 1.5 mm = 0.15 cm

dimension of cubiod = 12 cm x 11 cm x 9 cm

bolts, Mach away Volume of Cuboid = no of lead shots x volume of 1 lead shot

 \Rightarrow no of lead shots = $\frac{Volume of Cuboid}{volume of 1 leadshot}$

 $=\frac{(12\times11\times9)}{\left(\frac{4}{3}\right)\times\left(\frac{22}{7}\right)\times(0.15)^{3}}$



Answer 7:

Given :

radius (r) of one lead ball = 1 cm

radius (R) of sphere = 8 cm

Volume of Sphere = no of lead balls x volume of 1 lead ball

 \Rightarrow no of lead balls = $\frac{Volume of Sphere}{volume of 1 lead ball}$

$$= \frac{\left(\frac{4}{3}\right) \times \pi \times R^3}{\left(\frac{4}{3}\right) \times \pi \times r^3}$$

$$\Rightarrow \frac{R^3}{r^3} = \frac{8^3}{1^3} = 512$$

Answer 8:

Given :

radius (R) of sphere = 3 cmdiameter of balls = 0.6 cm radius (r) of balls = 0.3 cm :.

Volume of Solid Sphere = no of small balls casted x volume of 1 small ball

-ck awa

 $=\frac{\left(\frac{4}{3}\right)\times\pi\times\mathbb{R}^{3}}{\left(\frac{4}{3}\right)\times\pi\times\mathbb{r}^{3}}$ $\Rightarrow no of small balls = \frac{Volume of Sphere}{volume of 1 leadball}$

$$\Rightarrow \frac{R^3}{r^3} = \frac{3^3}{(0.3)^3} = 1000$$

Answer 9:

Given :

radius (R) of sphere = 10.5 cm

radius (r) of cones = 3.5 cm

height of cone (h) = 3 cm

Volume of Sphere = no of cones casted x volume of 1 small cone

 \Rightarrow no of cones = $\frac{Volume of Sphere}{volume of 1small cone}$

$$= \frac{\binom{4}{3} \times \pi \times R^3}{\binom{1}{3} \times \pi \times r^2 \times h}$$

$$= \frac{4 \times R^3}{r^2 \times h} = \frac{4 \times (10.5)^3}{(3.5)^2 \times 3} = 126$$

Answer 10:

Diameter of sphere = 12 cm

 \Rightarrow radius (r) of sphere = 6 cm

Diameter of cylinder = 8 cm

 \Rightarrow radius of cylinder (R) = 4 cm

height of cylinder (H) = 90cm

HINCH anal

Volume of Cylinder = no of sphere x volume of onesphere

 $\Rightarrow no of sphere = \frac{Volume of Cylinder}{volume of 1 sphere}$

$$= \frac{\pi \times R^2 \times H}{\left(\frac{4}{3}\right) \times \pi \times r^3}$$

$$= \frac{3 \times R^2 \times H}{4 \times r^3} = \frac{3 \times (4)^2 \times 90}{4 \times (6)^3} = 5$$

CLASS IX

Answer 11:

Given :

Diameter of sphere = 6 cm

 \Rightarrow radius of sphere (R) = 3 cm

Diameter of wire = 2mm

 \Rightarrow radius of wire (r) = 1mm = 0.1 cm

let the length of wire is h cm



= 3600 cm = 36 m

Answer 12:

Given :

Diameter of sphere = 18 cm

 \Rightarrow radius of sphere (R) = 9 cm

length of wire (h) = 108 m = 10800 cm

let the radius of wire is r cm

Volume of Wire = volume of Sphere $\pi r^2 h = \frac{4}{3}\pi R^3$ $\Rightarrow r^2 = \frac{\left(\frac{4}{3}\right) \times \pi \times R^3}{\pi \times h}$ ius of wire = 0.6 $=\frac{4\times R^3}{3\times h}$ 4×9^3 $=\frac{1\times 9}{3\times 10800}$ $r^2 = \frac{9}{100}$

$$\Rightarrow r = \sqrt{\frac{9}{100}} = \frac{3}{10} = 0.3 \text{ cm}$$

diameter of wire = 2 x radius of

= 2 x r = 2 x 0.3

Answer 13:

Given :

Diameter of sphere = 15.6cm

 \Rightarrow radius of sphere (R) = 7.8 cm

length of cone (h) = 31.2 cm



let the radius of base of cone is r cm

Volume of Cone = volume of Sphere $\frac{1}{3}\pi r^2 h = \frac{4}{3}\pi R^3$

 $\Rightarrow r^{2} = \frac{\left(\frac{4}{3}\right) \times \pi \times R^{3}}{\left(\frac{1}{3}\right) \times \pi \times h}$

$$=\frac{4\times R^3}{h}$$

 $=\frac{4\times(7.8)^3}{31.2}$

 $r^2 = 60.84$

 $r = \sqrt{60.84} = 7.8 \text{ cm}$

 \Rightarrow

diameter of base of Cone $= 2 \times radius$ of base of Cone

$$= 2 \times r = 2 \times 7.8$$

Answer 14:

Given :

Diameter of sphere = 28 cm

 \Rightarrow radius of sphere (R) = 14 cm

Diameter of cone = 35 cm

= 15.6 cm

radius of cone (r) = 17.5 cm ⇒

let the height of cone is h cm

Volume of Cone = Volume of Sphere $\frac{1}{3}\pi r^{2}h = \frac{4}{3}\pi R^{3}$ $\Rightarrow h = \frac{\binom{4}{3} \times \pi \times R^{3}}{\binom{4}{3} \times \pi \times r^{2}}$ $= \frac{4 \times R^{3}}{(17.5)^{2}} = \frac{10976}{306.25} cm$ = 35.84 cmAnswer 15: radius of big ball(R) = 3 cm radius of first ball (r_{1}) = 1.5cm radius of second ball (r_{2}) = 2cm

let radius of third ball is r₃cm

Volume of Big Ball = Volume of first ball + Volume of Second ball + Volume of third ball $\frac{4}{3}\pi R^3 = \frac{4}{3}\pi r_1^3 + \frac{4}{3}\pi r_2^3 + \frac{4}{3}\pi r_3^3$

$$\frac{4}{3}\pi R^{3} = \frac{4}{3}\pi (r_{1}^{3} + r_{2}^{3} + r_{3}^{3})$$

$$R^{3} = (r_{1}^{3} + r_{2}^{3} + r_{3}^{3})$$

$$3^{3} = \{(1.5)^{3} + (2)^{3} + r_{3}^{3}\}$$

$$27 = 3.375 + 8 + r_{3}^{3}$$

$$r_{3}^{3} = 27 - 11.375$$

$$r_{3}^{3} = 15.625$$

$$r_{3} = \sqrt[3]{15.625} = 2.5 \text{ cm}$$
radius of third ball = 2.5 cm

Answer 16:

let the radii of first sphere is x cm and second sphere is y cm and Surface area is S_1 and S_2 .

away



Answer 17:

let the radii of twosphere is $r\$ and R , Volume is $\ V_1$ and $V_2 respectively$

CLASS IX

then,



$$\Rightarrow r^{3} = \frac{3 \times R^{2} \times h}{4}$$
$$= \frac{4}{3} = \frac{2916}{4}$$
$$r^{3} = 729$$
$$\Rightarrow r = 9 \text{ cm}$$

Answer 19:

Given:

radius of cylindrical bucket (R) = 15 cm

Lase in water level is x Volume of water raised = volume of spherical ball $\pi R^2 x = \frac{4}{3}\pi r^3$ $\Rightarrow \qquad x = \frac{4 \times r^3}{3 \times R^2}$ $= \frac{4 \times 9^3}{4}$

$$\pi R^2 x = \frac{4}{3}\pi r$$

$$\Rightarrow \qquad = \frac{4 \times 9^3}{3 \times 15^2}$$

 $=\frac{2916}{675}$

x = 4.32 cm

Answer 20:

Given:

CLASS IX

Outer Diameter of shell = 12 cm

 \Rightarrow Outer radius of shell(R) = 6 cm

Inner Diameter of shell = 8 cm

 \Rightarrow Inner radius of shell (r) = 4cm

Volume of outer Shell $=\frac{4}{3}\pi R^3$

 $= \frac{4}{3} \times \left(\frac{22}{7}\right) \times 6^3$

 $= 905.15 \text{ cm}^3$

Volume of inner Shell = $\frac{4}{3}\pi r^3$

 $=\frac{4}{3}\times\left(\frac{22}{7}\right)\times4^{3}$

 $= 268.20 \text{ cm}^3$

so, Volume of metal contained in shell = (Volume of outer Shell) - (Volume of inner Shell)

 $= (905.15) - (268.20) \text{ cm}^3$

Kitch away

 $= 636.95 \text{ cm}^3$

Outer Surface area = $4\pi R^2$ sq. unit

$$=4 \times \left(\frac{22}{7}\right) \times 6^2 \text{ cm}^2$$

 $= 452.57 \text{ cm}^2$

Answer 21:

Given:

CLASS IX



let the base radius of cone is r.

Volume of Cone = volume of hemisphere

$$\Rightarrow \quad \frac{1}{3}\pi r^2 h = \frac{2}{3}\pi R^3$$

$$\begin{pmatrix} \frac{1}{3} \end{pmatrix} \times \pi \times r^2 \times 72 = \begin{pmatrix} \frac{2}{3} \end{pmatrix} \times \pi \times 9^3$$

$$\Rightarrow r^2 = \frac{2 \times 9 \times 9 \times 9}{72}$$

$$= \frac{1458}{72}$$

$$r^2 = 20.25$$

 \Rightarrow r = 4.5 cm

base radius of cone = 4.5 cm

Answer 23:

Given:

 \Rightarrow







$$=\left(\frac{2\times3\times81}{9}\right)$$

= 54

Answer 24:

Given:

internalRadius of bowl (r)
$$= 4 \text{ cm}$$

thickness of
$$bowl(t) = 0.5$$
 cm

 \Rightarrow External radius of bowl (R) = Internal radius + thickness

=(r + t) cm= (4+0.5) cm =

4.5 cm

Volume of steel used = Volume of outer hemisphere - Volume of Inner hemisphere



 \Rightarrow Outer radius of bowl (R) = Internal radius + thickness

=(r + t) cm= (5+0.25) cm =

5.25 cm

Outer Curved surface = $2\pi R^2$ sq. Unit

CLASS IX

$$= 2 \times \left(\frac{22}{7}\right) \times (5.25)^2$$

 $= 173.25 \text{ cm}^2$

 $= 173.25 \text{ cm}^2$

Answer 26:

Given:

 \Rightarrow inner Radius of bowl (r) = 5.25 cm

Inner Curved surface area of bowl $= 2\pi r^2$

 $= 2 \times \left(\frac{22}{7}\right) \times (5.25)^2$

$$= 173.25 \text{ cm}^{2}$$
Cost of painting 100 cm² = Rs. 32

$$\Rightarrow \text{ for } 173.25 \text{ cm}^{2} = \text{Rs.} \left(\frac{32 \times 173.25}{100}\right)$$

$$= \text{Rs. 55.44}$$
Answer 27: let the diameter of earth is d

$$\Rightarrow \qquad \text{radius} = \frac{d}{2}$$
thus, diameter of moon will be $\frac{2}{3}$

$$\Rightarrow \qquad \text{radius of moon} = \frac{d}{8}$$

$$\frac{Volume of earth}{Volume of moon} = \frac{\left(\frac{4}{3}\right) \times \pi \times \left(\frac{d}{2}\right)^{3}}{\frac{4}{3} \times \pi \times \left(\frac{d}{8}\right)^{3}}$$

$$=\frac{\left(\frac{d^3}{8}\right)}{\left(\frac{d^3}{512}\right)}=\frac{d}{8}$$

= 64

 $\Rightarrow Volume of moon = \frac{1}{64} \times Voulme of Earth$

Answer 28:

Volume of Solid hemisphere = Surface area of solid hemisphere (Given)

$$\Rightarrow \frac{2}{3}\pi r^3 = 3\pi r^2$$
$$r = \frac{9}{2} \text{ unit}$$

 \Rightarrow

diameter = $2 \times r = 2 \times \frac{9}{2} = 9$ unit

CLASS IX

MULTIPLE CHOICE QUESTIONS

Answer 1-(c)

Volume of Cuboid= $l \times b \times h = 15 \times 12 \times 4.5 = 810 \ cm^3$

Answer 2-: (b)

Total Surface Area of cuboid= $2 = 2(12 \times 9 + 9 \times 8 + 12 \times 8) = 552 \text{ cm}^2$

Answer 3-: (b)

Lateral Surface Area of Cuboid= $[2(l + b) \times h] = [2(15 + 6) \times 0.5] = 21 m^2$

 ${h = 5 dm = 0.5 m}$

Answer 4-: (c) length of beam (l)=9 m

Height of beam (h)=20 cm=0.2 m

Width of beam (b)=40 cm=0.4 m

Weight of beam = Volume of beam = $(l \times b \times h) = 9 \times 0.2 \times 0.4 = 0.72 m^3$

 $1 m^3 weight = 50 kg$

 $\therefore 0.72 \ m^3 weight = 0.72 \times 50 = 36 kg$

Answer 5-: (c)

Length of longest rod placed in room=Diagonal of room

 $=\sqrt{(l^2+b^2+h^2)}=\sqrt{10^2+10^2+5^2)}=15\ m$

Answer 6-(d)

Maximum Length of pencil placed in rectangular box=Diagonal of rectangular box= $\sqrt{(l^2 + b^2 + h^2)} = \sqrt{(8^2 + 6^2 + 5^2)} = 5 \times \sqrt{5} = 5 \times 2.24 = 11.2 \text{ cm}$

Answer 7-: (b)

Volume of pit= $l \times b \times h = 40 \times 12 \times 16 = 7680 m^3$

Volume of one plank= $4 \times 5 \times 2 = 40 m^3$

Total no. of planks = $\frac{7680}{40}$ = 192

Answer 8-: (a)

Volume of pit= $l \times b \times h = 20 \times 6 \times 0.5 = 60 m^3$ Volume of one plank= $5 \times 0.25 \times 0.1 = 0.125 m^3$

Total no. of planks = $\frac{60}{0.125}$ = 480

Answer 9-: (c)

Volume of wall= $800cm \times 600cm \times 22.5cm$

Volume of one brick= $25cm \times 11.25cm \times 6cm$

Total bricks required to make wall= $\frac{800 cm \times 600 cm \times 22.5 cm}{25 cm \times 11.25 cm \times 6 cm} = 6400$

Answer 10-: (b)

Volume of dining hall =
$$20m \times 15m \times 4.5m = 1350 m^3$$

One person requires 5 m^3 air

No. of person in hall =
$$\frac{1350}{5}$$
 = 270

Answer 11-: (b)

Volume of water runs into sea per hour = $1.5 \times 30 \times 3000 = 135000 \frac{m^3}{hour}$

Volume of water runs into sea per min= $\frac{135000}{60}$ = 2250 m³

Answer 12-: (d)

Lateral Surface area of cube = $4a^2$

$$4a^2 = 256 m^2$$

K.C.

Hack away

a=8m

Volume of cube = $a^3 = 8^3 = 512 m$

Answer 13-: (c)

Total Surface area of cube = $6a^2$

 $6a^2 = 96 m^2$

a=4 m

Volume of cube= $a^3 = 4^3 = 64m^3$

Answer14-: (b)

Volume of cube = a^3

$$a^3 = 512 \ cm^3$$

a=8 cm

Total Surface area of cube = $6a^2 = 6 \times 8^2 = 384 \ cm^2$

Answer 15-: (d)

Length of longest rod fit in a cubical vessel=Diagonal of cubical vessel

Diagonal of a cube = $a\sqrt{3} = 10cm \times \sqrt{3} = 10\sqrt{3} cm$

Answer 16-(b)

Length of diagonal of cube = $8\sqrt{3}$ cm

$$a\sqrt{3} = 8\sqrt{3}$$

a=8 cm

Answer 17-: (d)

Surface area of cube $(A_1) = 6a_1^2$

After increasing, edge of cube $a_2 = a_1 + a_1 \times \frac{50}{100} = 1.5a_1$

Surface area of new cube $(A_2) = 6a_2 = 6((1.5a_1)^2)$

Percentage increase in surface area = $\frac{A_2 - A_1}{A_1} \times 100 = \frac{6 \times 2.25 \times a_1^2 - 6a_1^2}{6a_1^2} \times 100 = 1.25 \times 100 = 125\%$

Answer 18-: (b)

Volume of new cube=Sum of volume of all cube= $3^3 + 4^3 + 5^3 = 216 \ cm^3$

Let, side of new cube=a

$$a^3 = 216$$

a=6 m

Lateral surface of new cube = $4a^2 = 4 \times 6 \times 6 = 144 \ cm^2$

Answer 19-: (d)

1 hectare=10000 m^2

Volume of water falls on ground= $2 \times 10000 \times 0.05 = 1000 m^3$

Answer 20-: (c)

Let Volume of first cube $=V_1$, Surface area=A, Side=a

Volume of second cube= V_2 , Surface area=B, Side=b



Answer 23-: (b)

Base diameter of cylinder (d)=28 cm Base radius (r) = $\frac{d}{2} = \frac{28}{2} = 14 \ cm$ Height (h)=20 cmCurved Surface area of cylinder = $2\pi rh = 2 \times \frac{22}{7} \times 14 \times 20 = 1760 \ cm^2$

Answer 24-: (c)

Curved Surface area of cylinder=1760 cm^2

 $2\pi rh = 1760 \text{ cm}^2$

$$2 \times \frac{22}{7} \times 14 \times h = 1760$$

H=20 cm

Answer 25-: (b)

Height of cylinder (h)=14 cm

Curved Surface area= $264 \ cm^2$

 $2\pi rh = 264 \ cm^2$

H=20 cm

$$m^2$$

 $\times \frac{22}{7} \times r \times 14 = 264$

r = 3 cm

 $\times 3 \times 3 \times 14 = 396 \ cm^3$ Volume of cylinder = $\pi r^2 h$ =

Answer 26-: (c)

Curved Surface area of cylinder = $264 m^2$

$$2\pi rh = 264 m^2$$

Volume of cylinder = $\pi r^2 h = 924 m^3$

$$2\pi rh \times \frac{r}{2} = 924$$

 $\Rightarrow 264 \times \frac{r}{2} = 924$ (r = 7 m)
$$2 \times \frac{22}{7} \times 7 \times h = 264 \text{ m}^2$$

$$h = 6 \text{ m}$$
Answer27: (c)
let Radii=r & R
Heights=h & H

$$\frac{Curved surface area of first(A)}{Curved surface area of second(B)} = \frac{2\pi rh}{2\pi RH}$$

$$\frac{A}{B} = \frac{r}{R} \times \frac{h}{H} = \frac{2}{3} \times \frac{5}{3} = \frac{10}{9} \left\{ \frac{r}{H} = \frac{2}{3} \text{ and } \frac{h}{H} = \frac{5}{3} \right\}$$
A:B=10:9
Answer 28(b):
let Radii=r & R
Heights=h & H

$$\frac{Volume of first(A)}{Volume of second(B)} = \frac{\pi r^2 h}{\pi R^2 H}$$

$$\frac{A}{B} = \left(\frac{r}{R} \right)^2 \times \frac{h}{H} = \frac{4}{9} \times \frac{5}{3} = \frac{20}{27}$$

$$\frac{r}{H} = \frac{2}{3} \text{ and } \frac{h}{H} = \frac{5}{3} \right\}$$
A:B=20:27
Answer 29(d):
let Radius=r and Height=h

$$\frac{r}{h} = \frac{2}{3}$$
Volume of cylinder=1617 cm³

$$\pi r^2 h = 1617$$
$$\frac{22}{7} \times \left(\frac{2}{3}h\right)^2 \times h = 1617$$

$$\frac{4}{9}h^2 \times h = \frac{1617 \times 7}{22}$$

$$h^3 = \frac{(1617 \times 7)}{22} \times \frac{9}{4} = \frac{147 \times 7 \times 9}{8} = \frac{27 \times 49 \times 7}{8}$$

$$h = \frac{3 \times 7}{2} = \frac{21}{2}cm$$
Total surface area = $2\pi rh + 2\pi r^2 = 2\pi r(h+r) = 2 \times \frac{22}{7} \times \frac{2}{3}h \times (h + \frac{2}{3}h)$

$$= 2 \times \frac{22}{7} \times \frac{2}{3} \times \frac{21}{2} \times \frac{5}{3} \times \frac{21}{2} = 770 \ cm^2$$

Answer 30-(b)

$$\frac{v_1}{v_2} = 1$$

$$\frac{h_1}{h_2} = \frac{1}{2}$$

$$\frac{V_1}{V_2} = \frac{\pi r_1^2 h_1}{\pi r_2^2 h_2}$$

$$\frac{1}{1} = \frac{r_1^2 \times 1}{r_2^2 \times 2}$$

$$\frac{r_1}{r_2} = \frac{\sqrt{2}}{1}$$

$$r_1: r_2 = \sqrt{2}: 1$$
Answer 31-(a)

$$\frac{Curved Surface area of cylinder}{Total Surface area of cylinder} = \frac{1}{2}$$

$$\frac{2\pi rh}{2\pi r(r+h)} = \frac{1}{2}$$

$$\frac{h}{r+h} = \frac{1}{2}$$
$$2h = r + h$$

h=r

 $2\pi r(h+r) = 616\ cm^2$

 $2\pi r \times 2r = 616 \{r=h\}$

$$4\pi r^2 = 616$$
$$r^2 = 7^2$$

r=7 cm

Volume of cylinder = $\pi r^2 h = \frac{22}{7} \times 7 \times 7 \times 7 = 1078 \ cm^3$

Answer 32(c)

Volume of cylinder (*V*) = $\pi r^2 h$

Where r=radius & h=height

 $R = \frac{r}{2}$ & H=2h

Volume of new cylinder = $\pi R^2 H = \pi \times \left(\frac{r}{2}\right)^2 \times 2h = \frac{1}{2}\pi r^2 h = \frac{1}{2}V$ The volume new Cylinder will be halved er 33(b): per of coins = $\frac{Volume \ of \ Cylinder}{Volume \ of \ one \ coin}$

Answer 33(b):

Number of coins=

$$= (\pi R^2 H) / (\pi r^2 h) = \left(\left(\frac{4.5}{2}\right)^2 \times 10\right) / \left(\left(\frac{1.5}{2}\right)^2 \times 0.2\right) = 450$$

Answer 34-(d)

Volume of wire (V) = $\pi r^2 h$

Where r=radius & h=length of wire

New radius $R = \frac{r}{3}$ and Height=H

Volume of Wire remains same so,

$$\pi R^2 H = \pi r^2 h$$

 $\left(\frac{r}{3}\right)^2 H = r^2 h$

H=9h

The length become 9 times

Answer 35-(b)

Diameter of Roller=84 cm

Radius of Roller (r) = $\frac{84}{2}$ = 42 cm

Length of Roller (h)=1 m=100 cm

Area cover by Roller in 1 revolution= $2\pi rh = 2 \times \frac{22}{7} \times 42 \times 100 = 26400 \ cm^2$

Area cover by Roller in 500 revolution = $500 \times 26400 = 13200000 \ cm^2$

$$1 \, cm^2 = \frac{1}{100} m^2$$

 $13200000 \ cm^2 = 1320 \ m^2$

Answer 36-: (b)

The volume of lead = $2.2 \ dm^3 = 0.0022 \ m^3$

Cylindrical wire diameter=0.50 cm

Cylindrical wire radius=0.25 cm=0.0025 cm

Let length of wire=h

Volume of wire= $\pi r^2 h$

$$tr^2h = 0.22$$

 $\frac{22}{7} \times 0.0025 \times 0.0025 \times h = 0.22$

$$h = \frac{0.0022 \times 7}{22 \times 0.0025 \times 0.0025} = 112 \, m$$

Answer 37-: (c)

The lateral surface of cylinder= 2π rh

Answer 38-: (b)

Height of cone (h)=24 cm

Diameter of base=14 cm

Radius of base (r)=7 cm

CLASS IX

Curved Surface area of Cone= $\pi r l = \pi r \sqrt{(h^2 + r^2)} \{ l = \sqrt{(h^2 + r^2)} \}$

$$=\frac{22}{7} \times 7 \times \sqrt{24^2 + 7^2} = 22 \times 25 = 550 \ cm^2$$

Answer 39-: (d)

Height of cone (h)=12 cm

Base radius of cone (r)=6 cm

Volume of Cone= $\frac{1}{3} \times \pi \times r \times r \times h = \frac{1}{3} \pi \times 6 \times 6 \times 12 = 144 \pi \ cm^3$

Answer 40-: (c)

Base radius of conical tent (r)=7 m

Height of conical tent (h)=24 m

Curved Surface area of cone = $\pi r l = \pi r \sqrt{(h^2 + r^2)} \{l = \sqrt{(h^2 + r^2)} \}$

$$=\frac{22}{7} \times 7 \times \sqrt{24^2 + 7^2} = 22 \times 25 = 550 \, m^2$$

Let length of cloth=l



Answer 41(a):-

Volume of cone = $\frac{1}{3} \times \pi \times r^2 \times h$ = 1570 cm³

 $\frac{1}{3}$ × (3.14) × r^2 × 14= 1570 (h = 14 cm and π = 3.14)

 $r^2 = \frac{1570 \times 3}{(3.14) \times 14}$

 $r^2 = 100$

r = 10 cm

Answer42 (b):-

height (h) = 21 cm , slant height (l) = 28 cm let r be the radius of cone

$$l^{2} = h^{2} + r^{2}$$
$$r^{2} = l^{2} - h^{2}$$

 L^{2} $L^{2} = 49 \times 7$ $= \frac{1}{3} \times \left(\frac{22}{7}\right) \times (7\sqrt{7})^{2} \times 21$ $= 7546 \text{ cm}^{3}$ L swer 43.- (c)height = 24 cm $V \text{ olume of Cone} = \frac{1}{3}\pi r^{2}h = 1232 \text{ cm}^{3}$ $\times \left(\frac{22}{7}\right) \times r^{2} \times 24 = 1232$ $= \frac{1232 \times 3 \times 7}{24 \times 22}$ 9 7 cm t (1) = 1slant height (l) = $\sqrt{r^2 + h^2}$ $=\sqrt{7^2+24^2}=\sqrt{625}$ = 25curved surface area $= \pi rl$

CLASS IX

$$=\frac{22}{7} \times 7 \times 25$$
$$= 550 \text{ cm}^2$$

Answer 44 (d).

Given r: R = 4:5

let the height be h and H respectively.

$$V_1:V_2 = 1:4$$

$$\Rightarrow \frac{\left(\frac{1}{3} \times \pi \times r^{2} \times h\right)}{\left(\frac{1}{3} \times \pi \times R^{2} \times H\right)} = \frac{1}{4}$$

$$\Rightarrow \left(\frac{r}{R}\right)^{2} \times \left(\frac{h}{H}\right) = \frac{1}{4}$$

$$\left(\frac{4}{5}\right)^{2} \times \left(\frac{h}{H}\right) = \frac{1}{4}$$

$$\frac{h}{H} = \frac{25}{64}$$

$$\Rightarrow h: H = 25: 64$$
Answer 45.(a)
let the original height of cone is h and radius is r.
Volume of cone $= \frac{1}{3}\pi r^{2}h$
when height is doubled i.e, 2h
New Volume of cone $= \frac{1}{3}\pi r^{2}(2h) = \frac{2}{3}\pi r^{2}h$

New Volume of cone = $\frac{1}{3}\pi r^2(2h) = \frac{2}{3}\pi r^2h$

Increse in Volume
$$= \frac{2}{3}\pi r^2 h - \frac{1}{3}\pi r^2 h = \frac{1}{3}\pi r^2 h$$

percentage Increase = $\frac{(increasedvolume)}{(originalvolume)} \times 100$

$$=\frac{\frac{1}{3}\pi r^{2}h}{\pi r^{2}h} \times 100$$

$$=100$$
Answer 46(b).
Het the slant height be l and L.
$$\Rightarrow l : L = 1 : 2 (given)$$

$$\Rightarrow l = 2l \qquad \dots eq(i)$$
and let radii be r and R
$$\Rightarrow \frac{\pi r l}{\pi R L} = \frac{2}{1} \qquad (Given)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq(i)$$

$$\Rightarrow \frac{\pi r l}{\pi R(2t)} = \frac{2}{1} \qquad from eq($$

ratio of Volume $= \frac{\pi r^2 h}{\left(\frac{1}{3}\pi r^2 h\right)} = \frac{3}{1}$

Answer 48 (d). let the height of cylinder and cone be h and H rescpectively.

It is given that volumes and radius is same.

Volume of Cylinder = Volume of Cone

$$\Rightarrow \pi r^2 h = \frac{1}{3} \pi r^2 H$$
$$\Rightarrow \frac{h}{H} = \frac{1}{3}$$

so, ratio of height will be 1:3.

Answer 49(a).

let the height of cylinder and cone be h and H and raddi of bases is r and R respectively .

$$\Rightarrow h : H = 2:3$$

$$\Rightarrow r : R = 3:4$$
(Given)
Ratio of Volume = $\frac{\pi r^2 h}{\left(\frac{1}{3}\pi R^2 H\right)} = 3 \times \left(\frac{r}{R}\right)^2 \times \left(\frac{h}{H}\right) = 3 \times \left(\frac{3}{4}\right)^2 \times \left(\frac{2}{3}\right)$

$$= 3 \times \left(\frac{9}{16}\right) \times \left(\frac{2}{3}\right) = \frac{9}{8}$$

 \Rightarrow ratio of Volume = 9 : 8

Answer 50(d).

let the initial height and radius of cone be h and r.

$$\Rightarrow$$
 Volume of Cone $=\frac{1}{3}\pi r^2 h = V$

when both are doubled then new height and radius will be 2h and 2r.

 \Rightarrow New volume of Cone $=\frac{1}{3}\pi(2r)^2(2h)$

$$= \frac{1}{3}\pi \times 4(r)^2 \times 2(h)$$
$$= 8 \times \left(\frac{1}{3}\pi(r)^2(h)\right)$$
$$= 8 \times V$$

base radius of cylinder (R) = 3 cm

height (H) = 5 cm

radius of solid cones (r) = 1 mm = 0.1 cm

height (h) = 1 cm

No. Of Cones = $\frac{VolumeofCylinder}{Volumeof1Cone}$

$$= \frac{\pi R}{\left(\frac{1}{3}\pi r^{2}h\right)} = \frac{3\times3}{((0.1)^{2}\times1)}$$

$$mm = 0.1 \text{ cm}$$

$$\frac{der}{ne}$$

$$= \frac{135}{0.01} = 13500$$

Answer 52(b).

let the height of tent be h.

Area of ground = no of person x amount of area each person occupy

$$= 11 \text{ x} 4 = 44 \text{ m}^2$$

 \Rightarrow $\pi r^2 = 44 \text{ m}^2$

Amount of air to breadth = volume of tent = 220 m^3

$$\frac{1}{3}\pi r^2 h = 220$$
$$\left(\frac{1}{3}\right) \times \pi r^2 \times h = 220$$

 \Rightarrow

CLASS IX

$$\Rightarrow \qquad h = \frac{220 \times 3 \times 7}{\pi r^2} = \frac{220 \times 3 \times 7}{44} \qquad (\pi r^2 = 44)$$
$$\Rightarrow \qquad h = 15 \text{ m}$$

Answer 53(a).

radius of sphere = 2rVolume of Sphere $=\frac{4}{3}\pi R^3$

$$=\frac{4}{3}\pi(2r)^{3}$$

(R=2r) $=\frac{4}{3} \times \pi \times 8r^3$ $=\frac{32}{3}\pi r^{3}$

Answer 54(b).

Game control and radius of sphere(R) = 10.5 cm

Volume of Sphere $=\frac{4}{3}\pi R^3$

$$= \frac{4}{3} \times \left(\frac{22}{7}\right) \times (10.5)^3 \text{ cm}^3$$

$$= 4851 \text{ cm}^3$$

Answer 55(d).

radius (r) = 21 cm

Surface area of sphere $= 4\pi = 4 \times \left(\frac{22}{7}\right) \times 21^2 = 5544 \text{ cm}^2$

Answer 56 (c).

Surface area of a sphere = 1386 cm^2

 $4\pi r^2 = 1386$ \Rightarrow

 $4 \times \left(\frac{22}{7}\right) \times r^2 = 1386$

$$r^2 = \frac{1386 \times 7}{22 \times 4} = \frac{441}{4}$$

$$r = \sqrt{\frac{441}{4}} = \frac{21}{2} cm$$

r = 10.5 cm

Volume of Sphere =
$$\frac{4}{3}\pi r^3$$

$$= \frac{4}{3} \times \left(\frac{22}{7}\right) \times (10.5)^3$$
$$= 4851 \,\mathrm{cm}^3$$

Answer 57(a).

Surface area of a sphere = 144π cm²

 $\Rightarrow 4\pi r^2 = 144 \pi$

 $4 \times r^2 = 144$

 $r^2 = \frac{144}{4}$

$$\mathbf{r} = \sqrt{\frac{144}{4}} = \frac{12}{2} \operatorname{cm}$$

r = 6 cm

Volume of Sphere = $\frac{4}{3}\pi r^3$

$$144\pi \text{ cm}^2$$

$$= \frac{4}{3} \times \pi \times (6)^3$$

 $= 288 \, \pi \, cm^3$

Answer 58(a).

Volume of Sphere = 38808 cm^3

$$\Rightarrow \frac{4}{3}\pi r^3 = 38808$$
$$\Rightarrow \frac{4}{3} \times \left(\frac{22}{7}\right) \times (r)^3 = 38808$$
$$r^3 = \frac{38808 \times 7 \times 3}{4 \times 22} = 441 \times 21$$

CLASS IX

$$= 9261$$

 $r^3 = (21)^3$

 \Rightarrow r = 21 cm

Curved surface area of sphere = $4\pi r^2$ sq. Unit

$$= 4 \times \left(\frac{22}{7}\right) \times 21^2$$
$$= 5544 \text{ cm}^2$$

Answer 59(b). let the radius of spheres are r and R respectively Ratio of Volumes $= \frac{\frac{4}{3}\pi r^3}{\frac{4}{3}\pi R^3} = \frac{1}{8}$ $\frac{r^3}{R^3} = \frac{1}{8}$ $\Rightarrow \frac{r}{R} = \frac{1}{2}$ Ratio of Surface area $= \frac{4\pi r^2}{4\pi R^2}$ $= \frac{r^2}{R^2}$ $= \left(\frac{r}{R}\right)^2$ $= \left(\frac{1}{2}\right)^2$ from eq.(i) $= \frac{1}{4}$

Answer 60(d).

radius of metal ball(R) = 8 cmradius of small ball (r) = 2 cmNo of smaller balls $=\frac{Volume of metal ball}{volume of one saml ball}$

$$=\frac{\frac{4}{3}\pi R^{3}}{\frac{4}{3}\pi r^{3}}$$
$$=\frac{R^{3}}{r^{3}}=\frac{8^{3}}{2^{3}}=\frac{512}{8}=64$$

Answer 61(b).

radius of cone (R) = 2.1 cm height of cone (h) = 8.4 cm let the radius of sphere be r.

Volume of sphere = Volume of Cone

Answer 61(b).
radius of cone (R) = 2.1 cm
height of cone (h) = 8.4 cm
let the radius of sphere be r.
Volume of sphere = Volume of Cone

$$\Rightarrow \frac{4}{3}\pi r^3 = \frac{1}{3}\pi R^2 h$$

$$\Rightarrow \frac{4}{3} \times \left(\frac{22}{7}\right) \times r^3 = \frac{1}{3} \times \left(\frac{22}{7}\right) \times (2.1)^2 \times 8.4$$

$$\Rightarrow r^3 = \frac{2.1 \times 2.1 \times 8.4}{4} = (2.1)^3$$

r = 2.1 cm

Answer62(b).

radius of ball (R) = 6 cm

diameter of wire = 0.2 cm

 \Rightarrow radius of wire (r) = 0.1 cm

let the length of wire be h.

CLASS IX

Volume of wire = volume of ball

$$\Rightarrow \pi r^{2}h = \frac{4}{3}\pi R^{3}$$

$$\Rightarrow \qquad h = \frac{4 \times R^{3}}{3 \times r^{2}} = \frac{4 \times 6^{3}}{3 \times (0.1)^{2}} = \frac{288}{0.01}$$

$$h = 28800 \text{ cm} = 288 \text{ m}$$

(1 m = 100 cm)

Answer 63(c). radius of metallic sphere (R) = 10.5 cm radius of cone (r) = 3.5 cm height of cone (h) = 3 cm No of cones = $\frac{Volumeof metallicsphere}{volumeof onesmall cone}$ = $\left(\frac{4}{3}\pi R^3\right)$ = 126 = $\frac{(4R^3)}{(t_3\pi r^2h)} = \frac{(4\times(10.5)^3)}{(t_3(5)^2\times3)} = \frac{(4\times3\times3\times3)}{(3)}$

Answer 64(d).

diameter of lead shots = 0.3 cm

radius of shots (r) = 0.15 cm

dimension of cuboid = 9 cm x 11 cm x 12 cm

No of lead shots $=\frac{Volume of cuboid}{volume of one lead shot}$

$$=\frac{(lbh)}{\left(\frac{4}{3}\pi R^3\right)}$$



CLASS IX

$$\frac{4}{3}\pi R^3 = \frac{1}{3}\pi r^2 h$$

$$\Rightarrow \qquad \frac{4}{3} \times \left(\frac{22}{7}\right) \times (6.3)^3 = \frac{1}{3} \times \left(\frac{22}{7}\right) \times (r)^2 \times 25.2$$
$$\Rightarrow \qquad r^2 = \frac{4 \times 6.3 \times 6.3 \times 6.3}{25.2} = 6.3 \times 6.3 = (6.3)^2$$

r = 6.3 cm

Answer 67(c).

radius of big ball (R) = 3 cm

radius of first ball $(r_1) = 1.5$ cm

radius of second ball $(r_2) = 2 \text{ cm}$ ball is $r_3 \text{ cm}$

let radius of third ball is $r_{\rm 3}\ cm$

Volume of Big Ball = Volume of first ball + Volume of Second ball

+ Volume of third ball

$$\frac{4}{3}\pi R^{3} = \frac{4}{3}\pi r_{1}^{3} + \frac{4}{3}\pi r_{2}^{3} + \frac{4}{3}\pi r_{3}^{3}$$

$$\frac{4}{3}\pi R^{3} = \frac{4}{3}\pi (r_{1}^{3} + r_{2}^{3} + r_{3}^{3})$$

$$\frac{4}{3}\pi R^3 = \frac{4}{3}\pi (r_{1^3} + r_{2^3} + r_{3^3})$$

$$R^3 = (r_{1^3} + r_{2^3} + r_{3^3})$$

$$3^3 = \{(1.5)^3 + (2)^3 + r_{3^3}\}$$

$$27 = 3.375 + 8 + r_{3^3}$$

$$r_{3^3} = 27 - 11.375$$

$$r_{3^3} = 15.625$$

$$r_{3^3} = \frac{3}{15.625} = 2.5 \text{ cm}$$

radius of third ball = 2.5 cm

CLASS IX

Answer 68(a).

initial radius (r) = 6 cm final radius (R) = 12 cm



Difference of surface area = $4\pi R^2 - 4\pi r^2$

$$= 4\pi(4)^{2} - 4\pi(3)^{2}$$
$$= 4\pi(7)$$
$$= 4 \times \left(\frac{22}{7}\right) \times (7)$$
$$= 88 \text{ cm}^{2}$$

Answer 70(c). Given: Radius of hemispherical bowl (R) = 9 cm \Rightarrow diameter of bottle = 3 cm radius of bottle (r) = 1.5 cm \Rightarrow Height of bottle (h) = 4 cm No. Of bottles = $\frac{Volumeof bowl}{Volumeof onebottle}$ $= \frac{\binom{2}{3} \times \pi \times (9)^{3}}{\pi \times (1.5)^{2} \times 4}$ $= \left(\frac{2 \times 3 \times 81}{9}\right)$ = 54

Answer 71(b).

let the height of cone be h.

And radius of cone be r .

height of hemisphere = radius of hemisphere = r

CLASS IX

Volume of cone = Volume of hemisphere

$$\Rightarrow \frac{1}{3}\pi r^2 h = \frac{2}{3}\pi r^3$$
$$\Rightarrow \qquad h = 2r$$
$$\frac{h}{r} = \frac{2}{1}$$

hence ratio of height = 2:1

Answer 72(a).

let the radius of each base is r cm.

 $\frac{2}{2}:1$

height of hemisphere = radius of hemisphere = r cm

so, height of each is r cm.

Same textbook Volume of Cone : Volume of hemisphere : Volume of cynlinder

$$\Rightarrow \frac{1}{3}\pi r^{2}(r):\frac{2}{3}\pi r^{3}:\pi r^{2}(r)$$
$$\Rightarrow \qquad \frac{1}{3}:\frac{2}{3}:1$$

⇒

1:2:3 \Rightarrow

Answer 73(c).

let the radius of sphere be R

Volume of Sphere = Surface area of sphere

(given)

ack awa

$$\Rightarrow \frac{4}{3}\pi R^3 = 4\pi R^2$$

R = 3 unit. ⇒