
Constructions Exercise 17A

Q1

Answer:

Steps of construction:

- 1. Draw a line AB.
- 2. Take a point Q on AB and a point P outside AB, and join PQ.
- 3. With Q as the centre and any radius, draw on arc to cut AB at X and PQ at $\,$ Z.
- 4. With P as the centre and the same radius, draw an arc cutting QP at Y .
- 5. With Y as the centre and the radius equal to XZ, draw an arc to cut the previous arc at E.
- $6.\ Join\ PE$ and produce it on both the sides to get the required line.




Q2

Answer:

Steps for construction:

- 1. Let AB be the given line.
- 2. Take any two points P and Q on AB.
- 3. Construct $\angle BPE = 90^{\circ}$ and $\angle BQF = 90^{\circ}$
- 4. With P as the centre and the radius equal to 3.5 cm, cut PE at R.
- 5. With Q as the centre and the radius equal to 3.5cm, cut QF at S.
- 6. Join RS and produce it on both the sides to get the required line, parallel to

AB and at a distance of 3.5 cm from it.




Q3

Answer:

Steps of construction:

- 1. Let l be the given line.
- 2. Take any two points A and B on line l.
- 3. Construct $\angle BAE = 90^{\circ}$ and $\angle ABF = 90^{\circ}$
- 4. With A as the centre and the radius equal to 4.3 cm, cut AE at C.
- 5. With B as the centre and the radius equal to 4.3 cm, cut BF at D.
- 6. Join CD and produce it on either side to get the required line m, parallel to

l and at a distance of 4.3 cm from it.



Constructions Exercise 17B

Q2


Answer:

Steps of construction:

- 1. Draw a line segment QR of length 6 cm.
- 2. Draw arcs of $4.4~\mathrm{cm}$ and $5.3~\mathrm{cm}$ from Q and R, respectively. They intersect at P.
- 3. Draw an arc of any radius from the centre (P), cutting PQ and PR at S and T, respectively.
- 4. With S as the centre and the radius more than half of ST, draw an arc .
 - 5. With T as the centre and the same radius, draw another arc cutting the previously drawn arc at X.

6. Join P and X.

Then, PX is the bisector of $\angle P$.



Q4

Answer:

Steps of construction:

- 1. Draw BC=5.3 cm
- 2. Draw an arc of radius 4.8 cm from the centre, B.
- 3. Draw another arc of radius 4.8 cm from the centre,
- 4. Both of these arcs intersect at A.
- 5. Join AB and AC.
- 6. With A as the centre and any radius, draw an arc cutting BC at M and N.
- 7. With M as the centre and the radius more than half of MN, draw an arc.
- 8. With N as the centre and the same radius, draw another arc cutting the previously drawn
- 9. Join AP, cutting BC at D.

Then, AD $\perp BC$




Q5

Answer:

Steps of construction:


- $1.\ \mathrm{Draw}\ \mathrm{AB}$ of length $3.8\ \mathrm{cm}.$
- 2. Draw \(\text{BAZ} = 60^\circ\)
- 3. With the centre as A, cut ray AZ at 5 cm at C.
- 4 Join BC.

Then, ABC is the required triangle.



- Steps of construction:
- 1. Draw AC = 6 cm
- 2. Draw $\angle ACZ = 45^{\circ}$
- 3. With C as the centre, cut ray BZ at 4.3 cm at point B.
- 4. Join AB.

Then, ABC is the required triangle.



Q7


Answer:

Steps of construction:

- 1. Draw AB=5.2 cm
- 2. Draw \(\text{BAX} = 120 \cdot \)
- 3. With A as the centre, cut the ray AX at 5.3 cm at point C.
- 4. Join BC.
- 5. With A as the centre and any radius, draw an arc cutting BC at M and N.
- 6. With M as the centre and the radius more than half of MN, draw an arc.
- 7. With N as the centre and the same radius as before, draw another arc cutting the previously drawn arc at P.

8. Join AP meeting BC at D.

∴ AD ⊥ BC




Q8

Answer:

Steps of construction:

- 1. Draw BC=6.2 cm
- 2. Draw \(\text{BCX}=45 \) \(\text{o} \)
- 3. Draw ∠CBY=60°
- 4. The ray CX and BY intersect at A.

Then, ABC is the required triangle.




Steps of construction:

- $1.\ Draw\ BC{=}5.8\ cm$
- 2. Draw $\angle BCY = 30^{\circ}$
- 3. Draw $\angle CBX = 30^{\circ}$
- 4. The ray BX and CY intersect at \mathbf{A} .

Then, ABC is the required triangle.

On measuring AB and AC:

$$AB = AC = 3.4 \text{ cm}$$



Q10

Answer:

By angle sum property:

$$\angle B = 180^{\circ} - \angle A - \angle C$$


$$=180\degree - 45\degree - 75\degree$$

 $=60^{\circ}$

Steps of construction:

- 1. Draw AB=7cm
- $2\,\mathrm{Draw}\,\angle\mathrm{BAX}{=}\,45\,^\circ$
- 3. Draw ∠ABY= 60°
- 4. The ray AX and BY intersect at C.

Then, ABC is the required triangle.




Q11

Answer:

Steps of construction:


- 1.Draw BC=4.8 cm
- 2. Draw a perpendicular on C such that $\angle C$ is equal to 90°.
- 3.Draw an arc of radius 6.3 cm from the centre B.
- 4. Join AB.



Steps of construction:

- 1. Draw AB=3.5 cm
- 2. Construct $\angle ABX = 90^{\circ}$
- 3. With centre A, draw an arc of radius 6 cm cutting BX at C.
- 4. Join AC.

Then, ABC is the required triangle.



Q13

Answer:


Here, $\angle A=30^{\circ}$ and $\angle C=90^{\circ}$

By angle sum property:

∠B=60°

- 1. Draw the hypotenuse AB of length $5.6~\mathrm{cm}$.
- 2. Draw $\angle BAX=30^{\circ}$ and $\angle ABY=60^{\circ}$
- 3. The ray AX and BY intersect at C. $\,$

Then, ABC is the required triangle.



Constructions **Exercise 17C**

Q1

Answer:

$$\begin{pmatrix} c \end{pmatrix}$$
 135

$$\begin{array}{l} \text{Supplement of } 45^{\circ} = & 180^{\circ} - 45^{\circ} \\ = & 135^{\circ} \end{array}$$

Q2

Answer:

Complement of
$$80^{\circ} = 90^{\circ} - 80^{\circ}$$

$$= 10^{\circ}$$

Q3

Answer:
(b) 45°

Suppose the angle is x° .

Then, the complement is also x° .

Complement of $x^{\circ} = 90^{\circ} - x^{\circ}$

$$\Rightarrow x^{\circ} = 90^{\circ} - x^{\circ}$$

$$\Rightarrow x^{\circ} + x^{\circ} = 90^{\circ}$$

$$\Rightarrow 2x^{\circ} = 90^{\circ}$$

$$\Rightarrow x = \frac{90}{2}$$

$$\Rightarrow x = 45$$
Q4

Q3

Answer:

(b)45°

Suppose the angle is x° .

Then, the complement is also x° .

Complement of $x^{\circ} = 90^{\circ} - x^{\circ}$

$$\Rightarrow x^{\circ} = 90^{\circ} - x^{\circ}$$

$$\Rightarrow x^{\circ} + x^{\circ} = 90^{\circ}$$

$$\Rightarrow 2x^{\circ} = 90^{\circ}$$

$$\Rightarrow x^{\circ} + x^{\circ} = 90$$

$$\Rightarrow 2x^{\circ} = 90^{\circ}$$

$$\Rightarrow x = \frac{90}{2}$$

$$\Rightarrow x = 45$$

Q4

$$\left(a\right)30^{\circ}$$

Suppose the angle is x.

$$x = \frac{(180-x)}{5}$$

$$\Rightarrow 5x = 180 - x$$

$$\Rightarrow 5x + x = 180$$

$$\Rightarrow x = \frac{180}{6}$$

$$\Rightarrow x = 30^{\circ}$$

Q5

Answer:



S uppose the angle is \mathbf{x} .

$$x = 90 - x + 24$$

$$\Rightarrow x + x = 114$$

$$\Rightarrow 2x = 114$$

$$\Rightarrow x = \frac{114}{2}$$

$$\Rightarrow x = 57^{\circ}$$

Q6

Answer:

$$(b) 74^{\circ}$$

Suppose the angle is x.

$$x = 180 - x - 32$$

$$\Rightarrow x + x = 148$$

$$\Rightarrow 2x = 148$$

$$\Rightarrow x = \frac{148}{2}$$

$$\Rightarrow x = 74^{\circ}$$

Q7

Answer:



Supplementary angles:

$$3x + 2x = 180$$
$$=>x = \frac{180}{5}$$

$$\Rightarrow x = 36\degree$$

Answer:
$$\begin{pmatrix} b \end{pmatrix} 74^{\circ}$$
Suppose the angle is x .
$$x = 180 - x - 32$$

$$\Rightarrow x + x = 148$$

$$\Rightarrow 2x = 148$$

$$\Rightarrow x = \frac{148}{2}$$

$$\Rightarrow x = 74^{\circ}$$
O?
Answer:
$$\begin{pmatrix} c \end{pmatrix} 72^{\circ}$$
Supplementary angles:
$$3x + 2x = 180$$

$$=>x = \frac{180}{5}$$

$$\Rightarrow x = 36^{\circ}$$
Smaller angle = $(2 \times 36^{\circ})$

$$= 72^{\circ}$$

Q8

Answer:

(b)
$$48^{\circ}$$

 $\angle AOC + \angle BOC = 180^{\circ}$ (linear pair)
 $\angle AOC = 180^{\circ} - \angle BOC$
 $= 180^{\circ} - 132^{\circ}$
 $= 48^{\circ}$

Q9

Answer:

(x) 112
$$\angle AOC + \angle AOB = 180^{\circ} \quad \text{(linear pair)}$$

$$68^{\circ} + x^{\circ} = 180^{\circ}$$

$$\Rightarrow x^{\circ} = 180^{\circ} - 68^{\circ}$$

$$\Rightarrow x^{\circ} = 112^{\circ}$$

$$(c)x = 35$$

$$(2x-10)+(3x+15)=180$$

$$=>2x-10+3x+15=180$$

$$=>5x+5=180$$

$$=>5x=180-5$$

$$=>5x=175$$

$$=>x=rac{rac{1.7.5}{5}^{35}}{rac{1.7}{5}}$$

$$=> x = 35$$

Q11

Answer:

(d)
$$x = 80$$

$$x + 55 + 45 = 180$$
 (linear pair)

$$\Rightarrow \mathbf{x} = 180 - 55 - 45$$

$$\Rightarrow \mathbf{x} = 180 - 100$$

$$\Rightarrow \mathbf{x} = 80$$

Q12

Answer:



$$x + y = 180$$
 (linear pair)

$$=>x+\frac{4}{5}x=180^{\circ}$$

$$=>9x=5\times180$$

$$=>x=100$$

Q13

Answer:



Here, ∠AOC and ∠BOD are vertically opposite angles.

Given,
$$\angle AOC = 50^{\circ}$$

∴∠
$$BOD=50^{0}$$

Q14

Answer:



$$(3x-8)^{\circ} + (x+10)^{\circ} + 50^{\circ} = 180^{\circ}$$
 (linear pair) =>4 $x^{\circ} + 52^{\circ} = 180^{\circ}$

$$=>4x^{\circ}=128^{\circ}$$

$$=>x^{\circ}=32^{\circ}$$

$$\binom{a}{1}$$
 32

$$(3x-8)^{\circ} + (x+10)^{\circ} + 50^{\circ} = 180^{\circ}$$
 (linear pair)
=> $4x^{\circ} + 52^{\circ} = 180^{\circ}$
=> $4x^{\circ} = 128^{\circ}$
=> $x^{\circ} = 32^{\circ}$

$$\therefore x = 32$$

Q16

Answer:

$$\begin{pmatrix} c \end{pmatrix} 100^{\circ}$$

$$\angle ACB = \angle ABC + \angle BAC$$
 (exterior angle property)
= $(45^{\circ} + 55^{\circ})$
= 100°

Q17

Answer:



$$\angle BCA = 180^{0} - 120^{0}$$
 (linear pair)

$$=60^{0}$$

$$\angle BAC = 180^{\circ} - \left(60^{\circ} + 70^{\circ}\right)$$
 (angle sum property of triangles)
= 50°

Q18

Answer:

$$\begin{pmatrix} c \end{pmatrix} 150^{\circ}$$

$$\begin{array}{l} x^0 + 70^0 + 50^0 + 90^0 = 360^0 \ \, \Big(\text{complete angle} \Big) \\ => x^0 = 360^0 - 210^0 \\ = \ \, 150^0 \end{array}$$

Q19

Answer:

$$\begin{pmatrix} c \\ 70 \end{pmatrix}$$

Here,
$$\angle ACE = \angle BAC = 50^{0}$$
 [alternate angles]
$$\angle ACB + \angle ACE + \angle DCE = 180^{\circ} \text{ (linear pair)}$$

$$\angle ACB = 180^{0} - \left(50^{\circ} + 60^{\circ}\right)$$

$$= 180^{\circ} - 110^{\circ}$$

 $=70^{\circ}$



$$\angle A + \angle B + \angle C = 180^{0}$$

=> $\angle B = 180^{0} - (65^{0} + 85^{0})$
=> $\angle B = 180^{0} - 150^{0}$
=> $\angle B = 30^{0}$

Q21

Answer:

(d) 1800

Q22

Answer:

(c) 360^0

Q23

Answer:



Draw a parallel line through O and produce AB and CD on R and P, respectively. (alternate angles)

 $\therefore \angle OCD = \angle COQ = 120^{\circ}$ (alternate angles)

$$\angle COS=180^{0}-120^{0}$$
 (linear pair

 $=60^{0}$ Similarly, /AOQ=/BAO=1500


$$\angle AOS=180^{o}-150^{0}$$
 (linear pair)

 $=30^{0}$

$$\angle AOC = \angle AOS + \angle COS$$

 $\therefore \angle AOC = 60^{\circ} + 30^{\circ} = 90^{\circ}$

$$\therefore \angle AOC = 60^{0} + 30^{0} = 90^{0}$$



Q24

Answer:

$$\angle PAC = \angle ACS = 100^{0}$$
 [alternate angles]
 $\angle PAB + \angle BAC = 100^{0}$
 $=> \angle BAC = 100^{\circ} - 60^{\circ} = 40^{\circ}$

30

Here, $\angle DCG + \angle CGF = 180^{0}$ (angles on the same side of a transversal line are

supplementary)

=> ∠CGF =
$$180^{0} - 100^{\circ} = 80^{\circ}$$

∠ABG = ∠BGF = 110^{0} [alternate angles]
 $x^{0} + ∠$ CGF = 110^{0}
=> $x^{0} = 110^{0} - 80^{0}$
=> $x^{0} = 30^{0}$
∴ $x = 30$

Q26

Answer:

(d) greater than the 3rd side

Q27

Answer:

(Pythagoras theorem) (d) The diagonals of a rhombus always bisect each other at right angles

Q28

Answer:



In a right angle triangle:

$$AC^{2} = AB^{2} + BC^{2}$$

 $=> BC^{2} = 13^{2} - 5^{2}$
 $=> BC^{2} = 169 - 25$
 $=> BC^{2} = 144$
 $=> BC = \pm 12$

The length cannot be negative.

Q29


Answer:

$$\begin{pmatrix} c \\ 114^{\circ} \end{pmatrix}$$

In triangle ABC:

$$\angle A + \angle B + \angle C = 180^{0}$$

=> $\angle A = 180^{0} - (37^{0} + 29^{0})$
=> $\angle A = 180^{0} - (66^{0})$
= 114^{0}




Suppose the angles of a triangle are 2x, 3x and 7x.

Sum of the angles of a triangle is 180° .

$$2x + 3x + 7x = 180$$

=> $12x = 180$
=> $x = 15^{0}$

Measure of the largest angle $= 15^{0} \times 7 = 105^{0}$



Given:

$$2\angle A = 3\angle B$$
 or $\angle A = \frac{3}{2}\angle B$

$$3\angle B = 6\angle C$$
, or $\angle C = \frac{1}{2}\angle B$

In a \triangle ABC:

$$\angle A + \angle B + \angle C = 180^{\circ}$$

en:

$$A = 3\angle B$$
 or $\angle A = \frac{3}{2}\angle B$
 $A = 6\angle C$, or $\angle C = \frac{1}{2}\angle B$
 $A \triangle ABC$:
 $\angle A + \angle B + \angle C = 180^0$
 $= > \frac{3}{2}\angle B + \angle B + \frac{1}{2}\angle B = 180^0$
 $= > \frac{3\angle B + 2\angle B + \angle B}{2} = 180^0$
 $= > \frac{6\angle B}{2} = 180^0$
 $= > \angle B = \frac{360^0}{6}$
 $= > \angle B = \frac{360^0}{6}$
 $= > \angle B = 65^\circ - \angle B$
 $+ \angle C = 140^\circ$
 $= 140^\circ - \angle B$ (ii)
ABC:

$$=>\frac{3\angle B+2\angle B+\angle B}{2}=180^{\circ}$$

$$=>\frac{6\angle B}{2}=180^{0}$$

$$=> \angle B = \frac{360^0}{6}$$

$$=> \angle B = 60^{\circ}$$

Q32

Answer:

(a)
$$25^{\circ}$$

Given:

$$\angle A + \angle B = 65^{\circ}$$

$$\angle A = 65^{\circ} - \angle B$$

$$\angle B + \angle C = 140^{\circ}$$

$$\angle C = 140^{\circ} - \angle B$$

In $\triangle ABC$:

$$\angle A + \angle B + \angle C = 180^{\circ}$$


Putting the value of $\angle B$ and $\angle C$:

$$\Rightarrow$$
 65° $-\angle B + \angle B + 140^{\circ} - \angle B = 180^{\circ}$

$$\Rightarrow -\angle B = 180\,^{\circ} - 205\,^{\circ}$$

$$\Rightarrow \angle B = 25^{\circ}$$

Q33



In \triangle ABC:

$$\angle A + \angle B + \angle C = 180^{0} \qquad \dots (i)$$

Given:

$$\angle A - \angle B = 33^0 = > \angle A = \angle B + 33^0 \qquad \dots (ii)$$

$$\angle B - \angle C = 18^0 = > \angle C = \angle B - 18^0 \quad \dots (iii)$$

Using (ii) and (iii) in equation (i):

$$=>3\angle B+15^0=180^0$$

$$=>3\angle B=165^{0}$$

$$=>$$
 $\angle B=\frac{165^{0}}{3}=55^{0}$

Q34

Answer:



Sum of the angles of a triangle is 180°.

of the angles of a triangle is 180°.

$$(3x)^{\circ} + (2x - 7)^{\circ} + (4x - 11)^{\circ} = 180^{\circ}$$

 $= > 9x^{\circ} - 18^{\circ} = 180^{\circ}$
 $= > 9x^{\circ} = 198^{\circ}$
 $= > x^{\circ} = 22^{\circ}$

$$-> 0$$
v° -18 ° $= 180$ °


$$-> 0v^{\circ} - 108^{\circ}$$

$$=> x^{\circ} = 22^{\circ}$$

$$\Rightarrow \mathbf{x} = 22$$

Q35

Answer:



In a right angle triangle ABC:

$$AC^{2} = BC^{2} + AB^{2}$$


$$=>BC^{2} = 24^{2} + 7^{2}$$

$$=>BC^{2} = 576 + 49$$

$$=>BC^{2} = 625$$


$$=>BC = \pm 25 \text{ cm}$$

Since the length cannot be negative, we will negelect -25.



Q36

Answer:




In right triangle ABC:

$$\begin{aligned} AC^2 &= AB^2 + BC^2 \\ &= 15^2 + 20^2 \\ &=> AC^2 = 625 \\ &=> AC = \pm 25 \end{aligned}$$

Since the length cannot be negative, we will negelect -25.

 \therefore Length of the ladder = 25 m



Q37

Answer:

$$(a)$$
 13 m

Suppose there are two poles AE and BD

$$EC = AB = 12 \text{ m}$$
 (ABCE is a rectangle)

$$AE = BC = 6 \text{ m}$$
 (ABCE is a rectangle)

$$DC = BD - AE$$

$$= 11 - 6$$

$$= 5 \text{ m}$$

In the right angled triangle ECD :

$$ED^2 = EC^2 + DC^2$$
 (Pythagoras theorem)

$$ED^2 = 5^2 + 12^2$$

$$ED^2 = 25 + 144$$

$$\mathrm{ED^2} = 169$$


$$ED = \pm 13$$

The length cannot be negative.

$$\therefore ED = 13 \text{ m}$$

Q38





In right angled isoceles triangle, right angled at C, AC is equal to BC and AB is the hypotenuse.

$$\begin{aligned} AB^2 &= AC^2 + BC^2 \\ &= 5^2 + 5^2 \\ &= 50 \\ &\therefore AB = \sqrt{2 \times 25} = 5\sqrt{2} \text{ cm} \end{aligned}$$

